



Interpower™
Power Strips



From Stock

Accessory Power Strips: Strips using IEC components
Power Distribution Units: Accessory Power Strips in a 19-inch can specially designed for equipment racks
Socket Strips: Strips using country specific components
International Socket Strip: Multi-country specific components in one strip. Used primarily for testing export products

Accessory Power Strip

Features:

- 4 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Push to reset circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 236 x 56 x 45

Approvals & Markings:



7/04

Part Number: 85010071

Accessory Power Strip

Features:

- 4 IEC 60320 Sheet E outlets
- 1 IEC 60320 C14 inlet
- 5 Connector locks
- 1 Push to reset circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 280 x 57 x 51

Approvals & Markings:



7/04

Part Number: 852J2D27

Accessory Power Strip

Features:

- 4 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Push to reset circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 236 x 56 x 45

Approvals & Markings:



7/04

Part Number: 85010160

Accessory Power Strip

Features:

- 4 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Rocker circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 236 x 56 x 51

Approvals & Markings:



7/04

Part Number: 852J2D00

Accessory Power Strip


Features:

- 4 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Rocker circuit breaker
- 1 Fuse holder

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 236 x 56 x 51

Approvals & Markings:



7/04

Part Number: 852J2D05

Accessory Power Strip

Features:

- 3 IEC 60320 Sheet J outlets
- 2 IEC 60320 Sheet F outlets
- 1 IEC 60320 C20 inlet
- 1 Rocker circuit breaker
- 1 Connector lock
- 1 Circuit breaker guard

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 314 x 63 x 57

Approvals & Markings:



7/04

Part Number: 852J2E13

Accessory Power Strip

Features:

- 5 IEC 60320 Sheet F outlets
- 1 IEC 60320 C20 inlet
- 1 Push to reset circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 314 x 57 x 51

Approvals & Markings:



7/04

Part Number: 852J2E14

Accessory Power Strip

Features:

6 IEC 60320 Sheet F outlets
1 IEC 60320 C14 inlet
1 Rocker circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 314 x 57 x 51

Approvals & Markings:



7/04

Part Number: 85010080

Accessory Power Strip

Features:

- 6 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Switch
- 1 Push to reset circuit breaker
- Screen printing

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 314 x 57 x 51

Approvals & Markings:



7/04

Part Number: 85010130

Accessory Power Strip

Features:

- 6 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Push to reset circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 314 x 57 x 51

Approvals & Markings:



7/04

Part Number: 852J2F03

Accessory Power Strip

Features:

- 6 IEC 60320 Sheet F outlets
- 1 Screw-mount IEC 60320 C14 filtered inlet
- 1 Push to reset circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 314 x 89 x 57

Approvals & Markings:



7/04

Part Number: 852J2F23

Accessory Power Strip

Features:

- 8 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Rocker circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 378 x 57 x 51

Approvals & Markings:



7/04

Part Number: 85010030

Accessory Power Strip

Features:

- 10 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Rocker circuit breaker

Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 483 x 57 x 51

Approvals & Markings:



7/04

Part Number:

852J2J07

Accessory Power Strip

Features:

12 IEC 60320 Sheet F outlets
1 NEMA L6-20P power cord

Rating: 15A/250V UR

Size(mm): 1829 x 45 x 57

Power Cord(m): 1.2

Approvals & Markings:



7/04

Part Number: 852P2L26

Accessory Power Strip

Features:

- 20 IEC 60320 Sheet F outlets
- 1 Rocker circuit breaker
- 1 Unterminated power cord

Rating: 10A/250V UR/CSA
10A/240V TUV

Size(mm): 965 x 45 x 51

Power Cord(m): 3

Approvals & Markings:



7/04

Part Number: 852J2U15

Accessory Power Strip: Power Distribution Unit

Features:

- 10 IEC 60320 Sheet F outlets
- 1 IEC 60320 C20 inlet
- 1 Lighted rocker circuit breaker
- 10 Switches (each outlet individually switched)

Rating: 16A/250V UR/CSA
16A/240V VDE

Size(mm): 483 x 44 x 115

Approvals & Markings:



7/04

Part Number: 852Q2J22

Accessory Power Strip: Power Distribution Unit

Features:

8 IEC 60320 Sheet F outlets
3 IEC 60320 Sheet J outlets
1 Lighted rocker circuit breaker
1 Power cord

Rating: 16A/250V UR/CSA
16A/240V VDE/TUV

Size(mm): 483 x 44 x 115

Power Cord(m): 2.5

Approvals & Markings:



7/04

Part Number: 852Q2K19

Accessory Power Strip: Power Distribution Unit

Features:

12 IEC 60320 Sheet F outlets
1 IEC 60320 C20 inlet
1 Lighted rocker circuit breaker

Rating: 16A/250V UR/CSA
16A/240V VDE/TUV

Size(mm): 483 x 44 x 115

Approvals & Markings:



7/04

Part Number: 852Q2L18

Accessory Power Strip: Power Distribution Unit

Features:

- 8 IEC 60320 Sheet F outlets
- 4 IEC 60320 Sheet J outlets
- 1 IEC 60320 C20 inlet
- 1 Lighted rocker circuit breaker

Rating: 16A/250V UR/CSA
16A/240V VDE/TUV

Size(mm): 483 x 44 x 115

Approvals & Markings:



7/04

Part Number: 852Q2L21

Accessory Power Strip: Power Distribution Unit

Features:

- 12 IEC 60320 Sheet F outlets
- 1 IEC 60320 C20 inlet
- 1 Lighted rocker circuit breaker

Rating: 16A/250V UR/CSA
16A/240V VDE/TUV

Size(mm): 483 x 44 x 115

Approvals & Markings:



7/04

Part Number: 852Q2L20

Socket Strip

Features:

5 CEE 7/7 Schuko sockets
1 Circuit breaker

Rating: 16A/250V VDE

Size(mm): 483 x 44 x 45

Power Cord(m): 2.5

Approvals:



7/04

Part Number: 85013041

Socket Strip


Features:

5 CEE 7/7 Schuko sockets

Rating: 16A/250V VDE

Size_(mm): 566 x 52 x 38

Power Cord_(m): 2.5

Approvals:

Socket Strip

Features:

9 CEE 7/7 Schuko sockets

Rating: 16A/250V VDE

Size_(mm): 966 x 52 x 38

Power Cord_(m): 2.5

Approvals:



Socket Strip

Features:

13 CEE 7/7 Schuko sockets

Rating: 16A/250V VDE

Size(mm): 1365 x 52 x 38

Power Cord(m): 2.5

Approvals:



7/04

Part Number: 85023130

Socket Strip

Features:


4 CEE 7/7 Schuko sockets
1 Rocker circuit breaker

Rating: 16A/250V VDE

Size(mm): 546 x 52 x 38

Power Cord(m): 2.5

Approvals:



Socket Strip

Features:

8 CEE 7/7 Schuko sockets
1 Rocker circuit breaker

Rating: 16A/250V VDE

Size(mm): 945 x 52 x 38

Power Cord(m): 2.5

Approvals:



7/04

Part Number: 85003080

Socket Strip

Features:

12 CEE 7/7 Schuko sockets
1 Rocker circuit breaker

Rating: 16A/250V VDE

Size_(mm): 1345 x 52 x 38

Power Cord_(m): 2.5

Approvals:



7/04

Part Number: 85003120

Socket Strip

Features:

6 AS/NZS 3112 sockets

1 Circuit breaker

Rating:10A/250V Department of Fair Trading

Size(mm): 315 x 48 x 27

Power Cord(m): 1.0

Approvals: Department of Fair Trading



7/04

Part Number: 85010050

Socket Strip

Features:


5 CEE 7/7 sockets

Rating:16A/250V

Size(mm): 583 x 44 x 45

Power Cord(m): 2.5

Approvals: none



7/04

Part Number: 85032052

Socket Strip

Features:

- 1 NEMA L6-15 power cord
- 4 NEMA 6-15R outlets
- 1 Rocker circuit breaker

Rating: 12A/125V UR/CSA

Size(mm): 333 x 59 x 51

Power Cord(m): 2.4

Approvals & Markings:

7/04

Part Number: 852L2D11

Socket Strip

Features:

- 1 NEMA 5-15 power cord
- 6 NEMA 5-15R outlets
- 1 Rocker circuit breaker

Rating: 15A/125V UL/CSA

Size_(mm): 311 x 54 x 52

Power Cord_(m): 1.8

Approvals:

7/04

Part Number: 85010200

Socket Strip

Features:

1 NEMA 6-15 power cord

4 NEMA 6-15R outlets

1 Rocker switch

Rating: 15A/250V**Size**_(mm): 278 x 54 x 52**Power Cord**_(m): 1.8**Approvals:** none

Socket Strip

Features:

- 1 NEMA 5-15 power cord
- 6 NEMA 5-15R outlets
- 1 Rocker circuit breaker

Rating: 15A/125V UL

Size_(mm): 483 x 45 x 78

Power Cord_(m): 4.6

Approvals:

Socket Strip

Features:

1 SEV 1011 power cord

5 SEV 1011 sockets

Rating: 10A/250V**Size**(mm): 584 x 44 x 45**Power Cord**(m): 2.5**Approvals:** none

7/04

Part Number: 85030051

Interpower Corporation • 100 Interpower Ave • Oskaloosa, IA 52577 • (800) 662-2290 • www.interpower.com

Socket Strip

Features:

1 BS 1363 power cord

4 BS 1363 sockets

1 Fuse

Rating: 13A/250V**Size**_(mm): 317 x 68 x 30**Power Cord**_(m): 2.5**Approvals:** none

Socket Strip

Features:

1 BS 1363 power cord

5 BS 1363 sockets

1 Fuse

Rating: 13A/250V**Size**(mm): 420 x 55 x 46**Power Cord**(m): 2.8**Approvals:** none

7/04

Part Number: 85031053

International Socket Strip

Features:

- 1 CEE 7 Schuko power cord
- 7 sockets

Rating:


230VAC/50Hz circuit:

Continental Europe (CEE 7)	16A
Denmark (Afsnit 107-2-D1)	13A
Italy (CEI 23-16/VII)	10A
India/South Africa	15A
Switzerland (SEV 1011)	10A
United Kingdom/Ireland (BS 1363)	13A
Australia/New Zealand (AS/NZS 3112) .	10A

Size_(mm): 483 x 89 x 51

Power Cord_(m): 2.5

Approvals: none



International Socket Strip

Features:

2 CEE 7 Schuko power cords
7 sockets

Rating:

230VAC/50Hz circuit:

Continental Europe (CEE 7)	16A
Denmark (Afsnit 107-2-D1)	13A
Italy (CEI 23-16/VII)	10A
India/South Africa	15A
Switzerland (SEV 1011)	10A


240VAC/50Hz circuit:

Australia/New Zealand (AS/NZS 3112) .	10A
United Kingdom/Ireland (BS 1363)	13A

Size_(mm): 483 x 89 x 51

Power Cord_(m): 2.5

Approvals: none



International Socket Strip

Features:

2 CEE 7 Schuko power cords
7 sockets

Rating:

230VAC/50Hz circuit:

Continental Europe (CEE 7)	16A
Denmark (Afsnit 107-2-D1)	13A
Italy (CEI 23-16/VII)	10A
India/South Africa	15A
Switzerland (SEV 1011)	10A
United Kingdom/Ireland (BS 1363)	13A


240VAC/50Hz circuit:

Australia/New Zealand (AS/NZS 3112) .	10A
United Kingdom/Ireland (BS 1363)	13A

Size_(mm): 483 x 89 x 51

Power Cord_(m): 2.5

Approvals: none





Examples of Special Order

Note that these are customer specific and only ideas. They can not be sold as is.

Accessory Power Strips: Strips using IEC components
Power Distribution Units: Accessory Power Strips in a 19-inch can specially designed for equipment racks
Socket Strips: Strips using country specific components
International Socket Strip: Multi-country specific components in one strip. Used primarily for testing export products

Accessory Power Strip

Features:

- 4 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Push to reset circuit breaker
- 1 Connector lock


Rating: 10A/250V UR/CSA
10A/240V VDE

Size(mm): 202 x 56 x 45

Approvals & Markings:



Note that these are customer specific and only ideas. They can not be sold as is.



7/04

Accessory Power Strip

Features:

- 6 IEC 60320 Sheet F outlets
- 1 IEC 60320 C14 inlet
- 1 Rocker circuit breaker
- 1 External ground wire

Rating: 10A/250V

Size_(mm): 314 x 57 x 51

Wire_(m): 3.4

Approvals: none

Note that these are customer specific and only ideas. They can not be sold as is.



7/04

Accessory Power Strip

Features:

20 IEC 60320 Sheet F outlets
1 Rocker circuit breaker
1 NEMA 5-15P power cord

Rating: 10A/250V UR/CSA
10A/240V TUV

Size(mm): 965 x 45 x 50

Power Cord(m): 3

Approvals & Markings:



Note that these are customer specific and only ideas. They can not be sold as is.



7/04

Socket Strip

Features:

1 NEMA 5-15 power cord
2 NEMA 5-15R outlets

Rating: 15A/125V

Size_(mm): 114 x 70 x 51

Power Cord_(m): 0.3

Approvals: none

Note that these are customer specific and only ideas. They can not be sold as is.



Socket Strip

Features:

1 NEMA L6-15 power cord
2 NEMA L6-15R outlets

Rating: 15A/250V

Size_(mm): 114 x 70 x 51

Power Cord_(m): 0.6

Approvals: none

Note that these are customer specific and only ideas. They can not be sold as is.



7/04

Socket Strip

Features:

- 4 Schuko outlets
- 8 Touch-proof fuse carriers
- 1 Schuko power cord
- Custom labeling

Rating: 10A/240V

Size(mm): 381 x 70 x 70

Power Cord(m): 4.6

Approvals & Markings:

Call our Customer Service
Department for more information.



Note that these are customer
specific and only ideas. They
can not be sold as is.

7/04

Socket Strip

Features:

- 4 UK outlets
- 8 Touch-proof fuse carriers
- 1 UK power cord
- Custom labeling

Rating: 13A/250V

Size(mm): 381 x 70 x 70

Power Cord(m): 4.6

Approvals & Markings:

Call our Customer Service Department for more information.

Note that these are customer specific and only ideas. They can not be sold as is.



7/04

Socket Strip

Features:

- 4 France/Belgium outlets
- 8 Touch-proof fuse carriers
- 1 Schuko power cord
- Custom labeling

Rating: 16A/250V

Size(mm): 381 x 70 x 70

Power Cord(m): 4.5

Approvals & Markings:

Call our Customer Service Department for more information.

Note that these are customer specific and only ideas. They can not be sold as is.



7/04