



HOME | ABOUT | SERVICES | INDUSTRIES | SHOP CSA | LOG IN

Home » Services » Testing & Certification » Certified Product Listing » Certificate Record

**Certificate Record**

Customer	Class	File Number
Feller GmbH Waerndorferstrasse 3, Guenselsdorf Austria 2525	5841-03  CORD SETS-Special-use Cord Sets	015075_0_000

**Quick Links**

- [Certification Marks and Labels](#)
- [Certified Product Listing](#)
- [CSA Communities](#)
- [Request a Quote](#)

- Special-use cord sets, consisting of the following special-use connectors moulded onto power supply cords as listed below:

Connector Cat No	Connector Config.	Plug Cap Cat No	Plug Cap Config.	Flexible Cord Type (s)	Flexible Cord Size	Volts	Rating Amps
C15, C15W	2-p, 3-w	498G	5-15P	SJT	16	125	13
		5/15A	5-15P	SJT	18	125	10
		N5/15	5-15P	SJT	16	125	13
		C16G			18	125	10
		or			16	125	13
		C14G			18	125	10
136, 136w	2-p, 3-w	5/15A	5-15P	SJT	16	125	13
		N5/15	5-15P	SJT	18	125	10
		C14R,	SP, 2p, 3w	SJT	16	125	13
		C14G		SJT	18	125	10
					16	125	13
					18	125	10
C19, C19W	2-p, 3-w	C20,	SP, 2p, 3w	SJT	12	250	20
		C20W	5-15P	SJT, ST	14	250	16
		5/15A N5/15 N6/15	5-15P	SJT, ST SJT, ST SJT,	14	125	15
		N5/20	6-15P	ST SJT SJT, ST SJT	14	125	15
		N6/20	5-20P	SJT, SVT SJT	14	250	15
			6-20P		12	125	20
		HG			14	125	16
			5-15P		12	250	20
					14	250	16
					14	125	15
C13, C13W C13N	2-p, 3-w	498G C14R, C14G,	5-15P	SJT, SVT	18	125	10
		G14G2S	SP, 2p-3w	SVT, SJT	18	250	10
C13, C13W	2-p, 3-w	HG	5-15P	SJT	18	125	10
C17, C17W	2-p, 2-w	N1/15	1-15P	SVT, SJT	18	125	10
13V, 13VW 13VA, 13VB	2-p, 3-w	498G	5-15P	SJT	18	125	10
					16	125	13
		C14R, C14G	SP, 2p-3w	SJT	18	250	10
					16	250	13
		N6/15	6-15P	SJT	18	250	10
					16	250	13
		5/15A	5-15P	SJT	18	125	10
					16	125	13
					14	125	15
		N5/15, HG	5-15P	SJT	16	125	13
					14	125	15
17V	2-p, 2-w	N1/15	1-15P	SJT	18	125	10
C7	2-p, 2-w	N1/15	1-15P	SVT, SPT-1	18	125	2.5
		94S51	SP, 2p, 2w	SVT	18	125	2.5
C9, C9W C9PW	2-p, 2-w	N1/15	1-15P	SVT, SPT-2	18	125	10
C7*, C7P	2-p, 2-w	N1/15	1-15P	SVT, SPT-2	18	125	7

Note: 7\* is the alternate construction of C7.

- Special-use cord sets, multiple-outlet, Type 94S52, consisting of three special-use 2-p, 2-w connectors, Type C7, moulded onto power supply cord with configuration 1-15P attachment plug cap, Type N1/15, and suitable length of No 18 AWG, Type SVT flexible cord, 2.5 A, 125 V; or consisting of three special-use 2-p, 2-w connectors, Type KS-15W, moulded onto power supply cord with configuration 1-15P attachment plug cap, Type KP-10W, and suitable length of No 18 AWG, Type SPT-2 flexible cord, 7 A, 125 V.
  - Special-use cord sets consisting of moulded PVC parallel blade attachment plug cap, Type MC2 or 498/3 and a special 2-pole, 2-wire pull-off plug Type 22/VII or Type 52, 7A, 125V ac, 875W, moulded to a suitable length of No 18 AWG, Type SPT1 or SVT flexible cord.
  - Special-use cord set consisting of a moulded PVC parallel blade attachment plug cap, Type MC2 or 498/3 and a special 2-pole, 2-wire pull-off plug Type 70, 2.5A, 125V ac, 312.5W, moulded to a suitable length of No 18 AWG, Type SPT2 or SVT flexible cord.
  - Special-use cord set consisting of a moulded PVC parallel blade grounding type attachment plug Type 31 moulded to a suitable length of No 18 AWG, Type SVT flexible cord.
  - Special-use cord sets consisting of a moulded PVC parallel blade grounding type attachment plug cap Type MC3 and a special 2-pole, 3-wire grounding type pull-off plug Type 22/IV moulded to suitable lengths of No 18 AWG, Type SVT and SJT flexible cord.
  - Special-use cord set consisting of a moulded PVC parallel blade attachment plug cap, Type MC2 or 498/3 and a special 2-pole, 2-wire, pull-off plug Type 51W, moulded to a suitable length of No 18 AWG, Type SVT or SJT flexible cord, 10A, 125V ac, 1250W.
  - Special-use cord set, consisting of a moulded PVC special-use, 2-pole, 3-wire grounding type attachment plug cap Type 6G or 6R, a special-use 2-pole, 3-wire grounding type pull-off plug Type 22/IV, moulded to a suitable length of No 18 AWG, Type SVT or SJT flexible cord, 10A, 125V ac, 1250W or 10A, 250V ac, 2500W.
  - Special-use cord sets, consisting of a moulded PVC parallel blade 2-pole 3-wire grounding type pull-off plug Type C15, moulded to a suitable length of No 16 AWG Type SJT flexible cord, 10A, 125V ac, 1250W.
  - Special-use cord sets, consisting of a moulded PVC special-use, 2-pole, 3-wire grounding type attachment plug cap Type C20, a special-use 2-pole, 3-wire grounding type pull-off plug Type C19, moulded to a suitable length of No 14 AWG, Type SJT or ST flexible cord, 16A, 250V ac, 4000W.
  - Special-use cord sets, consisting of a moulded PVC general-use, 2-pole, 3-wire grounding type attachment plug cap Type N6/15, a special-use 2-pole, 3-wire grounding type pull-off plug Type C19, moulded to a suitable length of No 14 AWG, Type ST or SJT flexible cord, 15A, 250V ac, 3750W.
  - Special-use cord sets, consisting of a moulded PVC special-use, 2-pole, 3-wire grounding type attachment plug cap Type N5/15, a special-use 2-pole, 3-wire grounding type pull-off plug Type C19, moulded to a suitable length of No 14 AWG, Type ST or SJT flexible cord, 15A, 125V ac, 1875W.
  - Special-use cord sets, consisting of a moulded PVC general-use, 2-pole, 3-wire grounding type attachment plug cap Type N5/20, a special-use 2-pole, 3-wire grounding type pull-off plug Type C19, moulded to a suitable length of No 14 AWG, Type ST or SJT flexible cord, 16A, 125V ac, 2000W.
  - Special-use cord sets, consisting of a moulded PVC general-use, 2-pole, 3-wire grounding type attachment plug cap Type N6/20, a special-use 2-pole, 3-wire grounding type pull-off plug Type C19, moulded to a suitable length of No 14 AWG, Type ST or SJT flexible cord, 16A, 250V ac, 4000W.
- Special-use cord sets, consisting of the following special-use connectors moulded onto power supply cords, as listed below:

Connector	Plug Cap	Flexible Cord	Size	Min. Rating	
				Volts (V)	Amps
C13M, 13V, 13VW, 13VL, 13VA, 13VB	498G	SJT	14, 16, 17, 18	125	15, 13, 12, 10
	498/1-498/8	SJT	16, 17, 18	125	13, 12, 10
	498A	SJT	14, 16	125	15, 13
	498B	SJT	14, 16	125	15, 13
	N5/15	SJT	14, 16, 18	125	15, 13, 10
	N5/20	SJT	14, 16, 18	125	15, 13, 10
	N6/20	SJT	14, 16, 18	250	15, 13, 10
	N6/15	SJT	14, 16, 18	250	15, 13, 10
	5/15A	SJT	14, 16, 18	125	15, 13, 10
	5/20A	SJT	14, 16, 18	125	15, 13, 10
	6/15A	SJT	14, 16, 18	250	15, 13, 10
	6/20A	SJT	14, 16, 18	250	15, 13, 10

Connector	Plug Cap	Flexible Cord	Size	Min. Rating	
				Volts (V)	Amps
	5/15B	SJT	14, 16, 18	125	15, 13, 10
	5/20B	SJT	14, 16, 18	125	15, 13, 10
	6/15B	SJT	14, 16, 18	250	15, 13, 10
	6/20B	SJT	14, 16, 18	250	15, 13, 10
	N5/15HG	SJT	14, 16, 18	125	15, 13, 10
	N5/20HG	SJT	14, 16, 18	125	15, 13, 10
	N6/15HG	SJT	14, 16, 18	250	15, 13, 10
	N6/20HG	SJT	14, 16, 18	250	15, 13, 10
	HG	SJT	14, 16, 18	125	15, 13, 10
	C14G	SJT	14, 16, 17, 18	250	15, 13, 12, 10
	C14	SJT	14, 16, 17, 18	250	15, 13, 12, 10
	C14R	SJT	14, 16, 17, 18	250	15, 13, 12, 10
	C20	SJT	14	250	16
	C20W	SJT	14	250	16
	C16G	SJT	16, 18	250	13, 10
13VN, 13VWN	498G	SJT	14, 16, 18	125	15, 13, 10
	498/1-498/8	SJT	16, 18	125	13, 10
	498A	SJT	14, 16	125	15, 13
	498B	SJT	14, 16	125	15, 13
	N5/15	SJT	14, 16, 18	125	15, 13, 10
	N5/20	SJT	14, 16, 18	125	15, 13, 10
	N6/20	SJT	14, 16, 18	250	15, 13, 10
	N6/15	SJT	14, 16, 18	250	15, 13, 10
	5/15A	SJT	14, 16, 18	125	15, 13, 10
	5/20A	SJT	14, 16, 18	125	15, 13, 10
	6/15A	SJT	14, 16, 18	250	15, 13, 10
	6/20A	SJT	14, 16, 18	250	15, 13, 10
	5/15B	SJT	14, 16, 18	125	15, 13, 10
	5/20B	SJT	14, 16, 18	125	15, 13, 10
	6/15B	SJT	14, 16, 18	250	15, 13, 10
	6/20B	SJT	14, 16, 18	250	15, 13, 10
	N5/15HG	SJT	14, 16, 18	125	15, 13, 10
	N5/20HG	SJT	14, 16, 18	125	15, 13, 10
	N6/15HG	SJT	14, 16, 18	250	15, 13, 10
	N6/20HG	SJT	14, 16, 18	250	15, 13, 10

Connector	Plug Cap	Flexible Cord	Size	Min. Rating		
				Volts (V)	Amps	
C13, C13W, C13L	HG	SJT	14, 16, 18	125	15, 13, 10	
	C14G	SJT	14, 16, 18	250	15, 13, 10	
	C14	SJT	14, 16, 18	250	15, 13, 10	
	C14R	SJT	14, 16, 18	250	15, 13, 10	
	C20	SJT	14	250	15	
	C20W	SJT	14	250	15	
	C16G	SJT	16, 18	250	13, 10	
	498G	SJT	17, 18	125	12, 10	
		SVT	17, 18	125	12, 10	
	498/1-498/8	SJT	17, 18	125	12, 10	
		SVT	17, 18	125	12, 10	
	N5/15	SJT	18	125	10	
	N6/15	SJT	18	250	10	
	N6/20	SJT	18	250	10	
	N5/20	SJT	18	125	10	
	5/15A	SJT	18	125	10	
	5/20A	SJT	18	125	10	
	6/15A	SJT	18	250	10	
	6/20A	SJT	18	250	10	
	5/15B	SJT	18	125	10	
	5/20B	SJT	18	125	10	
	6/15B	SJT	18	250	10	
	6/20B	SJT	18	250	10	
	N5/15HG	SJT	18	125	10	
	N5/20HG	SJT	18	125	10	
	N6/20HG	SJT	18	250	10	
	N6/15HG	SJT	18	250	10	
	HG	SJT	18	125	10	
	C14G	SJT	17, 18	250	12, 10	
		SVT	18		10	
	C14	SJT	17, 18	250	12, 10	
		SVT	18		10	
	C14R	SJT	17, 18	250	12, 10	
		SVT	18		10	
	C16G	SJT	18	250	10	
		SVT	18		10	
	C13WK	498G	SJT	16, 17, 18	125	13, 12, 10
			SVT	17, 18	125	12, 10
		498/1-498/8	SJT	16, 17, 18	125	13, 12, 10
			SVT	17, 18	125	12, 10
498A		SJT	16	125	13	
498B		SJT	16	125	13	
N5/15		SJT	16, 18	125	13, 10	
N5/20		SJT	16, 18	125	13, 10	
N6/15		SJT	16, 18	250	13, 10	
N6/20		SJT	16, 18	250	13, 10	
5/15A		SJT	16, 18	125	13, 10	
5/20A		SJT	16, 18	125	13, 10	
6/15A		SJT	16, 18	250	13, 10	
6/20A		SJT	16, 18	250	13, 10	

Connector	Plug Cap	Flexible Cord	Size	Min. Rating	
				Volts (V)	Amps
	5/15B	SJT	16, 18	125	13, 10
	5/20B	SJT	16, 18	125	13, 10
	6/15B	SJT	16, 18	250	13, 10
	6/20B	SJT	16, 18	250	13, 10
	N5/15HG	SJT	16, 18	125	13, 10
	N5/20HG	SJT	16, 18	125	13, 10
	N6/15HG	SJT	16, 18	250	13, 10
	N6/20HG	SJT	16, 18	250	13, 10
	HG	SJT	16, 18	125	13, 10
	C14G	SJT	16, 17, 18	250	13, 12, 10
		SVT	18	250	10
	C14	SJT	16, 17, 18	250	13, 12, 10
		SVT	18	250	10
	C14R	SJT	16, 17, 18	250	13, 12, 10
		SVT	18	250	10
	C16G	SJT	16, 18	250	13, 10
		SVT	18	250	10
C15, C15W, C15L, C15M, C15A	498G	SJT	14, 16, 18	125	15, 13, 10
	498A	SJT	14, 16	125	15, 13
	498B	SJT	14, 16	125	15, 13
	498/1-498/8	SJT	16, 18	125	13, 10
	N5/15	SJT	14, 16, 18	125	15, 13, 10
	N5/20	SJT	14, 16, 18	125	15, 13, 10
	N6/20	SJT	14, 16, 18	250	15, 13, 10
	N6/15	SJT	14, 16, 18	250	15, 13, 10
	5/15A	SJT	14, 16, 18	125	15, 13, 10
	5/20A	SJT	14, 16, 18	125	15, 13, 10
	6/15A	SJT	14, 16, 18	250	15, 13, 10
	6/20A	SJT	14, 16, 18	250	15, 13, 10
	5/15B	SJT	14, 16, 18	125	15, 13, 10
	5/20B	SJT	14, 16, 18	125	15, 13, 10
	6/15B	SJT	14, 16, 18	250	15, 13, 10
	6/20B	SJT	14, 16, 18	250	15, 13, 10
	N5/15HG	SJT	14, 16, 18	125	15, 13, 10
	N5/20HG	SJT	14, 16, 18	125	15, 13, 10
	N6/15HG	SJT	14, 16, 18	250	15, 13, 10
	N6/20HG	SJT	14, 16, 18	250	15, 13, 10
	HG	SJT	14, 16, 18	125	15, 13, 10
	C14G	SJT	14, 16, 18	250	15, 13, 10

Connector	Plug Cap	Flexible Cord	Size	Min. Rating	
				Volts (V)	Amps
C14, C15W	C14	SJT	14, 16, 18	250	15, 13, 10
	C14R	SJT	14, 16, 18	250	15, 13, 10
	C20W	SJT	14	250	15
	C20	SJT	14	250	15
	C16G	SJT	16, 18	250	13, 10
	N5/15	ST	16	125	13
	N5/20	ST	16	125	13
	N6/20	ST	16	250	13
	N6/15	ST	16	250	13
	5/15A	ST	16	125	13
	5/20A	ST	16	125	13
	6/15A	ST	16	250	13
	6/20A	ST	16	250	13
	5/15B	ST	16	125	13
	5/20B	ST	16	125	13
	6/15B	ST	16	250	13
	6/20B	ST	16	250	13
C19, C19W, C19L	498G	SJT	14	125	15
	498A	SJT	14	125	15
		ST	14	125	15
	498B	SJT	14	125	15
		ST	14	125	15
	N5/15	SJT	12, 14	125	15, 15
		ST	14	125	15
	N5/20	SJT	12, 14	125	20, 15
		ST	14	125	15
	N6/20	SJT	12, 14	250	20, 15
		ST	14	250	15
	N6/15	SJT	12, 14	250	15, 15
		ST	14	250	15
	5/15A	SJT	12, 14	125	15, 15
		ST	14	125	15
	5/20A	SJT	12, 14	125	20, 15
		ST	14	125	15
	6/15A	SJT	12, 14	250	15, 15
		ST	14	250	15
	6/20A	SJT	12, 14	250	20, 15
		ST	14	250	15
	5/15B	SJT	12, 14	125	15, 15
		ST	14	125	15
	5/20B	SJT	12, 14	125	20, 15
		ST	14	125	15
	6/15B	SJT	12, 14	250	15, 15
		ST	14	250	15
	6/20B	SJT	12, 14	250	20, 15
		ST	14	250	15
	N5/15HG	SJT	12, 14	125	15, 15
		ST	14	125	15
	N5/20HG	SJT	12, 14	125	20, 15
		ST	14	125	15
N6/15HG	SJT	12, 14	250	15, 15	
	ST	14	250	15	

Connector	Plug Cap	Flexible Cord	Size	Min. Rating		
				Volts (V)	Amps	
C5, C5W		SJT	12, 14	250	20, 15	
		ST	14	250	15	
	HG	SJT	14	125	15	
	L5/20	SJT	12, 14	125	20, 15	
	L5/30	SJT	12	125	20	
	L6/20	SJT	12, 14	250	20, 15	
	L6/30	SJT	12	250	20	
	C14G	SJT	14	250	15	
	C14	SJT	14	250	15	
	C14R	SJT	14	250	15	
	C20	SJT	12, 14	250	20, 16	
		ST	14	250	16	
	C20W	SJT	12, 14	250	20, 16	
		ST	14	250	16	
	498G	SVT	18	125	10	
	498/1-498/8	SVT	18	125	10	
	HG	SVT	18	125	10	
	C14G	SVT	18	250	10	
	C14	SVT	18	250	10	
	C14R	SVT	18	250	10	
	C16G	SVT	18	250	10	
	136, 136W	498G	SJT	18, 16	125	10, 13
		498/1-498/8	SJT	18, 16	125	10, 13
		498A	SJT	16	125	13
		498B	SJT	16	125	13
		N5/15	SJT	18, 16	125	10, 13
			ST	16	125	13
		N5/20	SJT	18, 16	125	10, 13
			ST	16	125	13
		N6/15	SJT	18, 16	250	10, 13
			ST	16	250	13
		N6/20	SJT	18, 16	250	10, 13
ST			16	250	13	
5/15A		SJT	18, 16	125	10, 13	
		ST	16	125	13	
5/20A		SJT	18, 16	125	10, 13	
		ST	16	125	13	
6/15A		SJT	18, 16	250	10, 13	
		ST	16	250	13	
6/20A		SJT	18, 16	250	10, 13	
		ST	16	250	13	
5/15B		SJT	18, 16	125	10, 13	
		ST	16	125	13	
5/20B		SJT	18, 16	125	10, 13	
		ST	16	125	13	
6/15B		SJT	18, 16	250	10, 13	
		ST	16	250	13	
6/20B		SJT	18, 16	250	10, 13	
		ST	16	250	13	
N5/15HG		SJT	18, 16	125	10, 13	
N5/20HG		SJT	18, 16	125	10, 13	
N6/15HG		SJT	18, 16	250	10, 13	
N6/20HG		SJT	18, 16	250	10, 13	

Connector	Plug Cap	Flexible Cord	Size	Min. Rating	
				Volts (V)	Amps
	HG	SJT	18, 16	125	10, 13
	C14G	SJT	18, 16	250	10, 13
	C14	SJT	18, 16	250	10, 13
	C14R	SJT	18, 16	250	10, 13
	C16G	SJT	18, 16	250	10, 13
	C18G	SJT	18	250	10
17V	N1/15	SJT	18, 16	125	10, 13
		SVT	18	125	10
		SJT	18	125	10
	N1/15	SVT	18	125	10
		SPT-2	18	125	10
C7/C7P, C7W/C7PW	C18G	SJT	18	250	10
		SVT	18	250	10
	C8G	SPT-2	18	250	10
		SVT	18	250	10
C7	N1/15	SPT-1	18	125	10
		SJT	17, 18	125	12, 10
	N1/15	SVT	17, 18	125	12, 10
C17, C17W	C18G	SJT	18	250	10
		SVT	18	250	10
	C8G	SVT	18	250	10
		SPT-2	18	125	10
	N1/15	SVT	18	125	10
C9/C9W/C9PW	C8G	SPT-2	18	250	10
		SVT	18	250	10
	C18G	SVT	18	250	10
C21, C21W, C21L	498G	SJT	14	125	15
		SJT	14	125	15
	498A	ST	14	125	15
		SJT	14	125	15
	498B	ST	14	125	15
		SJT	14	125	15
	N5/15	SJT	12, 14	125	15, 15
		ST	14	125	15
	N5/20	SJT	12, 14	125	20, 15
		ST	14	125	15
	N6/20	SJT	12, 14	250 V ac	20, 15
		ST	14	250 V ac	15
	N6/15	SJT	12, 14	250 V ac	15, 15
		ST	14	250 V ac	15
	5/15A	SJT	12, 14	125	15, 15
		ST	14	125	15
	5/20A	SJT	12, 14	125	20, 15
		ST	14	125	15
	6/15A	SJT	12, 14	250 V ac	15, 15
		ST	14	250 V ac	15
	6/20A	SJT	12, 14	250 V ac	20, 15
ST		14	250 V ac	15	
5/15B	SJT	12, 14	125	15, 15	



Connector	Plug Cap	Flexible Cord	Size	Min. Rating	
				Volts (V)	Amps
5/20B		ST	14	125	15
		SJT	12, 14	125	20, 15
		ST	14	125	15
6/15B		SJT	12, 14	250 V ac	15, 15
		ST	14	250 V ac	15
6/20B		SJT	12, 14	250 V ac	20, 15
		ST	14	250 V ac	15
N5/15HG		SJT	12, 14	125	15, 15
		ST	14	125	15
N5/20HG		SJT	12, 14	125	20, 15
		ST	14	125	15
N6/15HG		SJT	12, 14	250 V ac	15, 15
		ST	14	250 V ac	15
N6/20HG		SJT	12, 14	250 V ac	20, 15
		ST	14	250 V ac	15
HG		SJT	14	125	15
L5/20		SJT	12, 14	125	20, 15
L5/30		SJT	12	125	20
L6/20		SJT	12, 14	250 V ac	20, 15
L6/30		SJT	12	250 V ac	20
C14G		SJT	14	250 V ac	15
C14		SJT	14	250 V ac	15
C14R		SJT	14	250 V ac	15
C20		SJT	12, 14	250 V ac	20, 16
		ST	14	250 V ac	16
C20W		SJT	12, 14	250 V ac	20, 16
		ST	14	250 V ac	16

- Special-use cord set, consisting of a special-use connector molded onto flexible cords, indoor use, with or without Certified attachment plug.

Special Connector: Cat. No: GD3ADi; Maximum ratings: 250 V, 15 A

Note: Sold only to manufacturers for assembly to certified electrical equipment.

/ts

**CSA Group Web Sites**

CSA Group Bayern GmbH  
 CSA Group Seattle  
 CSA Group Testing UK Ltd.

**CSA Group Sites**

CSA Communities  
 CSA Registries  
 OHS Portal  
 Public Review

**Information For...**

Manufacturers  
 Members  
 Government, Regulators & AHJs

**Corporate**

Privacy  
 Terms of Use  
 Service Agreement

**About CSA Group**

CSA Group is an independent, not-for-profit member-based association dedicated to advancing safety, sustainability and social good. We are an internationally-accredited standards development and testing & certification organization. We also provide consumer product evaluation and education & training services. Our broad range of knowledge and expertise

[CSA Group UK –  
Transportation](#)  
[ICM GmbH](#)

[Shop CSA](#)  
[CSA Group Videos](#)

[Retailers / Importers /  
Exporters](#)  
[Consumers](#)

[CSA Product  
Certification Scheme](#)  
[Evidence of Insurance](#)  
[OHS Corporate Policy](#)  
[Environment Corporate  
Policy](#)

includes: industrial equipment, plumbing & construction, electro-medical & healthcare, appliances & gas, alternative energy, lighting and sustainability. The CSA mark appears on billions of products around the world.

Copyright © 2016 - CSA Group. All Rights Reserved.

[Contact Us](#) [Site Map](#) [Accessibility](#)