

UL Product iQ™



XBYS.E66421 - RELOCATABLE POWER TAPS

Relocatable Power Taps

See General Information for Relocatable Power Taps

WIREMOLD CO

E66421

60 WOODLAWN ST
WEST HARTFORD, CT 06110-2326 USA

Trademark and/or Tradename: "legrand"



Relocatable power taps, Model(s) 0027794, 0028890, 0029130, 0389334, 0390017, 0390018, 0390523, 0390603, 180615-PC-P, 180620-PC-P, 193 (a), 194 (a), 19C157-01, 19C157-02, 2008ULBC, 2008ULBC20R, 2008ULBD, 2008ULBD20R, 20C, with suffixes 001-999 or prefix G, V., 20K, with suffixes 001-999 or prefix G or V., 20T-001 thru 20T-999, 210-0001 thru 210-9999, 213 (a), 214 (a), 218 (a), 220-0001 thru 220-9999, 243 (a), 244 (a), 246 (a), 248 (a), 24T, 254 (a), 25587, 264 (a), 2676, 284 (a), 285 (a), 305 (a), 31038, 31957, 355 (a)

Relocatable Power Taps, Model(s) 3609 followed by "ULB" followed by C or D, followed by 20

Relocatable power taps, Model(s) 366 (a), 367 (a), 38131, 386 (a), 39002, 390753, 416 (a), 426 (a), 427 (a), 429 (a), 436 (a), 439 (a), 457 (a), 4610 (a), 4816 (a), 4910 (a), 497 (a), 529 (a), 5310 (a), 548 (a), 549 (a), 5610 (a), 569 (a), 5710 (a), 6010 (a), 60400381, 60400681, 6310 (a), 6810 (a), 7-10274, 7-10275, 7-10277, 7011 (a), 7012 (a), 7014 (a), 7111 (a), 7211 (a), 7214 (a), 7215 (a), 7215-15 (a), 7215-20 (a), 721520AR, 721520SP (a), 7218 (a), 7218-24 (a), 7222M, 7226M, 726 (a), 7412 (a), 7415 (a), 7512 (a), 7710 (a), 7711 (a), 7712 (a), 7716 (a), 776 (a), 7810 (a), 7812 (a), 88-PS, 9965509, 9968339, 9968736, 9968737, 9968738, 9968739, A10035, A10043, A10080, A10085, A10088, A10097, A10098, A10099, A10113, A10116-15, A10116-6, A10119, A10120, A10123, A10126, A10126-15, A10134, A10141, A10153, A10170, A10179, A10183, A10192, A10197, A10203, A10206, A10207, A10211, A10212, A10213, A10214, A10222, A10223, A10224, A10225, A10226, A10227, A10231, A10232, A10235, A10237, A10241, A10243, A10244, A10245, A10247, A10250, A10251, A10253, A10254, A10256, A10258, A10259, A10260, A20001, AT-11TP, AT-11TPCB, AT-11TPS, B10056, B10061, B10068, B10072, B10074, B10088, B10089, B10090, B10091, B10092, B10093, B10094, B10097, B10102, B10104, B10132, B10141, B10142, B10143, C10021, C10031, C10038, C10039, C10040, C10041, C10042, C10043, C10044, C10045, C10046, C10059, C10060, C10069, C10100, C10108, C10109, C10122, C10134, C10135, C10163, C10170, C10179, C10180, C10231, C10235, C10236, C10237, C10270, C10276, C10277, C10278, C10279, C10290, C10301, C10302, C10307, C10309, C10310, C10315, C10323, C10335, C10338, C10341, C10344, C10347, C10352, C10367, C10368, C10387, C10388, C10390, C10392, C10393, C10394, C10400, C10401, C10402, C10405, C10406, C10409, C10410, C10411, C10412, C10413, C10414, C10415, C10418, C10419, C10421, C10430, C10434, C10437, C10442, C10454, C10459, C10460, C10471, C10473, C10474, C10478, C10479, C10481, C10482, C10483, C10487, C10500, C10505, C10516, C10517, C10521, C10522, C10526, C10528, C10529, C10530, C10531, C10544, C10548, C10560, C10561, C10579, C10640, C10641, C10642, C10643, C10644, C10645, C10646, D10003, D10014, D10015, D10016, D10017, D10038, D10098, D10099, D10102, D10123, D10123-X, D10136, D10139, D10141, D10142, D10143, D10144, D10173, D10180, D10181, D10196, D10212, DC04314#, DK7724000, DK7724001, DK7724002, DK7724009, DK7724020, DK7724200, DK7724210, DK7724212, DK7724220, DK7724220-2, DK7724220-3, DK7724221, DK7724222-1, DK7724223-1, DK7724224, DK7748000, DK7748009, DK7748200, DK7748210, DK7748212, DK7748213, DK7748220, DK7748220-3, DK7748222, DK7748223, DK7748224, DK7748228, DK7772009, DK7772200, DK7772204, DK7772220, DK7772223, DK7799009, DQFP Series, E015801, E016801, E016803, E10001, E10002, E10003, E10004, E10006, E10007, E10008, E10009, E10046, E10058, E10074, E10078, E10089, E10091, E10092, E10093, E10099, E10103, E10104, E10105, E10109, E10111, E10112, E10113, E10114,

E10115, E10119, E10124, E10126, E10127, E10128, E10137, E10138, E10139, E10140, E10142, E10145, E10147, E10148, E10153, E10154, E10162, E10174, E10175, E10196, E10197, E10198, E10199, E76882, F10001, F10049, F10050, F10053, F10059, F10065, F10081, F10087, F10092, F10093, HA3230-00-1019, HA3230-00-1020, HA3230-00-1021, HA3230-00-1036

Relocatable power taps, Model(s) J, followed by 3 thru 24, followed by 2 thru 6, followed by A, B, C, D, E or F, followed by 0, 1, 2, 4 or 5, followed by 1 thru 9, followed by 1 thru 9, may be followed by H or C.

Relocatable power taps, Model(s) K, L, R or P, followed by 3, 4, 5, 6, 7 or 8, followed by 0, 1, 2, 3 or 4, followed by 0, 1, 2, 3 or 4, followed by 0, 1, 2, 4 or 5, with or without Suffix H, C or -TL.

Relocatable power taps, Model(s) KC Series, KP Series, L10061, L10066, L10066-A, L10066-B, L10075-X, L10094, L10119, L10162, L10163, L10223, L10230, L10264, L10284, L10303, L10330, L10361, L10363, L10378, L10389, L10392, L10397, L10401, L10402, L10407, L10423, L10428, L10436, L10454, L10466, L10468, L10469, L10486, L10495, L10501, L10517, L10528, L10529, L10530, L10531, L10532, L10533, L10535, L10537, L10539, L10540, L10541, L10542, L10568, L10577, L10580, L10593, L10594, L10604, L10607, L10617, L10621, L10633, L10641, L10643, L10645, L10647, L10653, L10654, L10656, L10657, L10663, L10666, L10669, L10695, L10696, L10738, L10762, L10822, L10823, L10831, L10832, L10833, LC15-0001 thru LC15-9999, LC20-0001 thru LC20-9999, LC4S-15, LC4S-6, LC6S-15, LC6S-6

Relocatable Power Taps, Model(s) M6BZNET may have additional suffixes denoting cosmetic differences

Relocatable Power Taps, Model(s) M6BZNET-15 may have additional suffixes denoting cosmetic differences

Relocatable power taps, Model(s) MD-1-X, MD-4-X, MD-6-X, MD-9-X, N15-0001 thru N15-9999, N20-0001 thru N20-9999, NM20-C, OB42-8, OB52-10, OB62-12, P1000, P10001, P10002, P10005, P10018, P10039, P10040, P10061, P10064, P10071, P10073, P10075, P10076, P10080, P10092, P10093, P10097, P10101, P10105, P10106, P10107, P10108, P10111, P10132, P10139, P10149, P10163, P10171-15, P10177, P10179, P10187, P10208, P10220, P5190006, P5190012, P5192000, P5192001, P5192002, P5192003, P5192004, P5192006, P5192008, P5192009, P5192013, P5192014, P5192017, P5192018, P5192019, P5192021, P5192023, P5192024, P5192025, P5192030, P5192036, P5198004, P524151M, P6, P6-15, P610, P6B, P6I, P6NB, P6NI, PM-36CS, PM-48CS, PM-6, PM48T, PM48TC, PMC-01 thru PMC-99, POS-11, POS-4, POS-7, POS-9, PS0848-20AT, PS181A, PS24151M, PS7011ULBD, PS7712ULBC20, PUDP, PWCW121808, PWCW124338, PWCW166394, PWCW181256, PWCW182046, PWCW219331, PWCW231057, PWCW268568, PWCW312512, R400, R410, R412, R600, R610, R612, SH36106, SH36107, SH36153, SHA4099008, SPLA02019-4, TOTS151121, T6-6, T60007, T60008, T60009, T60010, T60011, T60012, T60013, T60014, T60015, T60016, T60017, T60019, T60020, T60021, T60022, T60023, T60024, T60025, T60026, T60028, T60029, T627, T628, T637, T638, TS Series, UL-100 BM-1, UL-100 BM-2, UL-100BC, UL-101BC, UL-102BC, UL-103BC, UL-104BC, UL-1090BC, UL-1090BD, UL-2000BC, UL-2001BC, UL-2002BC, UL-2002BD, UL-2005BC, UL-204BC, UL-205BC, UL-2060BC, UL-2061BC, UL-2063BC, UL-2064BC, UL-2065BC, UL-206BC, UL-206SBC, UL-207BC, UL-208BC, UL-209BC, UL-210BC, UL-215BC, UL-218BC

Relocatable power taps, Model(s) UL-220, followed by 13 thru 45, followed by -10 thru -28, followed by 15 or 20, followed by -02 thru -25, may be followed by NS, may be followed by TL, may be followed by NSTL.

Relocatable power taps, Model(s) UL-300BC, UL-300BD, UL-401BC, UL-402BC, UL-403BC, UL-404BC

Relocatable Power Taps, Model(s) UL309BC may be followed by additional suffixes denoting cosmetic differences

Relocatable Power Taps, Model(s) UL309BD may be followed by additional suffixes denoting cosmetic differences

Relocatable power taps, Model(s) UL390753, ULB-420-15, ULB-420-6, ULB-420-X, ULB-620-15, ULB-620-6, ULB-620-X, ULB-820-15, ULB-820-6, ULB-820-X

Relocatable power taps, Model(s) ULBH, followed by 4, 6 or 8, followed by 1.5 thru 25.

Relocatable power taps, Model(s) VL-100BM-1, VL-100BM-2, VSP-16-20-L520P, WM1044

Relocatable power taps/Surge protective devices, Model(s) 19C175-01#, 200BCS20R#, 200BDS20R#

Relocatable power taps/Surge protective devices, Model(s) 4810, 7011 or 7712, followed by ULB, followed by C or D, followed by 20.

Relocatable power taps/Surge protective devices, Model(s) 4810BCS#, 4810BCS20#, 4810BDS#, 4810BDS20#, 7-10302#, 7-10305#, 7-10306#, 7011BCS#, 7011BCS20#, 7011BDS#, 7011BDS20#, 77000N+, 7712BCS#, 7712BCS20#, 7712BDS#, 7712BDS20#

Relocatable power taps/Surge protective devices, Model(s) A, K, L, R or P, followed by R, S, T or X, may be followed by D**, followed by 3, 4, 5, 6, 7 or 8, followed by 0, 1, 2, 4, 5 or 6, may be followed by 0, 1, 2, 3, 4, 5 or 6, followed by 0, 2, 5 or 9, may also be followed by C or -TL.

Relocatable power taps/Surge protective devices, Model(s) AT4-X#, AT6-X#, B10067#, BN4A-X#, BN590-6#, BN6-X#, BN6A-X#, BNMP-2-X#, BNMP-4-X#, BNMP-6-X#, BNMP-RS2-X#, BNMP-RS4-X#, BNMP-RS6-X#, BNRS4-X#, BNRS4A-X#, BNRS6-X#, BNRS6A-X#, C10391#, C10401#, C10486#, C10540#, D10046-X#, D10062-X#, D10084-X#, D10085-X#, D10115#, D10123-X#, D10134-X#, D10135-X#, D10141-X#, D10142-X#, D10143-X#, D10144-X#, D10155#, D10180-X#, D10181-X#, D10196-X#, D10214#, D10215#, D10220#, DK7724300#, DK7724303, GT590-6#, GTMP-2-X#, GTMP-4-X#, GTMP-6-X#, GTMP-RS2-X#, GTMP-RS4-X#, GTMP-RS6-X#, KS410#, KS610#, KSD410#, KSD412#, KT410#, KT610#, KTD410#, L10057-X#, L10135#, L10196#, L10246#, L10415#, L10512, L10527#, L10635#, L10681#, LC15SC-0001 thru LC15SC-9999, LC15SP-0001 thru LC15SP-9999

Relocatable power taps/Surge protective devices, Model(s) LC20SC-0001 to LC20SC-9999 may be followed by additional suffixes

Relocatable power taps/Surge protective devices, Model(s) M420BZ#, M420BZ-15#, M420BZLS#, M420BZLS-15#, M4BZ#, M4BZ-15#, M4BZM#, M4G#, M4G-15#, M4S#, M4S-15#, M4SM#, M4SM-15#, M620BZ, M620BZ-15#, M620BZLS#, M620BZLS-15#, M6BZ#, M6BZ-15#, M6BZM#, M6BZM-15#, M6BZR#, M6BZR-15#, M6G#, M6G-15#, M6GR-15#, M6S#, M6S-15#, M6SR#, M6SR-15#, P10001#, P10004#, P10006#, P10022#, P10033#, P10034#, P10079#, P10081#, P10094#, P10099#, P10118#, P10124#, P10172, P10173, P10176#, P10184#, P10188, P10191#, P10196, P10206, POS11-S#, POS7-S#, POS9-S#, PR610N+, PWCW170806#, PWDL171930#, RS410#, RS412#, RS610#, RS612#, RSD410#, RT410#, RT412#, RT610#, RT612#, RTD410#, RTD412#, RXD410#, SP-14#, SP-19#, SP197A, SP197A#, SP198A, SP198A#, SP199A, SP199A#, SP214A#, SP214AR2#, SP216A#, SP217A#, SP218A#, SR10N+, Z1XX180130#

Relocatable power taps/Surge protective devices w/EMI filter, Type 3 SPD, Model(s) BNNW2-X, P10147

Relocatable power taps/Surge protective devices w/EMI filtering, Model(s) 88-PSLC#, A10057-X#, BN4-X#, D10067#, D10105#, D10139#, E10049-X#, GT4-X#, GT6-X#, GTRS4-X#, GTRS6-X#, I10001-X#, L10171, L10196, P10123#, VCN-4-X#, VCN-6-X#, VCN-8-X, VCN4-15E#, VCN590-6#, VCNRS-6-X#, VCNRS-8-X#, VCNRS4-X#, VMP-4#, VMP-6#, VMP-8#, VMPR*-8#, VMPR-4#, VMPR-54#, VMPR-56#, VMPR-6#

Relocatable power taps/Surge protective devices, Type 3 SPD, Model(s) 2008BCS20R, C10589, C10620, D10134, D10135, E10161, M4BZM-15, M6BZM-15, RSD412, SP216A, SP217A, SP218A, VCN4, VCN4-15, VCN4-6, VCN6, VCN6-15, VCN6-6, VCN8, VCNRS4, VCNRS6, VCNRS6-15, VCNRS6-6, VCNRS8, VPM2, VPM4-15, VPM4-6, VPM6-6

- Complementary listed as VZCA under E66421.

(a) - Followed by ULB, may be followed by -TL

+ - Complementary listed as VZCA under E322765.

Note - All models may be followed by additional suffixes denoting cosmetic differences. In some models, the letter C may be replaced with the letter D. The letter X denotes cord length of 1.5 thru 25 ft. Suffix A may be used to designate beige color. Suffix S denotes switch. Suffix BC denotes 6 ft cord length. Suffix BD denotes 15 ft cord length. The letter L denotes cord length of 1.5 to 15 ft incl. The letters -TL denotes twist-lock plug is employed. The letters AM or RAM denotes ammeter is employed.

[Click here to view the Colombia Market Access Certification](#)

Last Updated on 2018-11-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

UL Product iQ™



XBYS7.E66421 - RELOCATABLE POWER TAPS CERTIFIED FOR CANADA

Relocatable Power Taps Certified for Canada

See General Information for Relocatable Power Taps Certified for Canada

WIREMOLD CO

E66421

60 WOODLAWN ST

WEST HARTFORD, CT 06110-2326 USA

Relocatable power taps, Model(s) 0027794, 0028890, 0029130, 0389334, 0390017, 0390018, 0390523, 0390603, 180615-PC-P, 180620-PC-P, 193 (a), 194 (a), 19C157-01, 19C157-02, 2008ULBC, 2008ULBC20R, 2008ULBD, 2008ULBD20R, 210-0001 thru 210-9999, 213 (a), 214 (a), 218 (a), 220-0001 thru 220-9999, 243 (a), 244 (a), 246 (a), 248 (a), 24T, 254 (a), 25587, 264 (a), 2676, 284 (a), 285 (a), 305 (a), 31038, 31957, 355 (a)

Relocatable Power Taps, Model(s) 3609 followed by "ULB" followed by C or D, followed by 20

Relocatable power taps, Model(s) 366 (a), 367 (a), 38131, 386 (a), 39002, 390753, 416 (a), 426 (a), 427 (a), 429 (a), 436 (a), 439 (a), 457 (a), 4610 (a), 4816 (a), 4910 (a), 497 (a), 529 (a), 5310 (a), 548 (a), 549 (a), 5610 (a), 569 (a), 5710 (a), 6010 (a), 60400381, 60400681, 6310 (a), 6810 (a), 7-10274, 7-10275, 7-10277, 7011 (a), 7012 (a), 7014 (a), 7111 (a), 7211 (a), 7214 (a), 7215 (a), 7215-15 (a), 7215-20 (a), 721520AR, 721520SP (a), 7218 (a), 7218-24 (a), 7222M, 7226M, 726 (a), 7412 (a), 7415 (a), 7512 (a), 7710 (a), 7711 (a), 7712 (a), 7716 (a), 776 (a), 7810 (a), 7812 (a), 88-PS, 9965509, 9968339, 9968736, 9968737, 9968738, 9968739, A10035, A10043, A10080, A10085, A10088, A10097, A10098, A10099, A10113, A10116-15, A10116-6, A10119, A10120, A10123, A10126-15, A10134, A10141, A10153, A10170, A10179, A10183, A10192, A10197, A10203, A10206, A10207, A10211, A10212, A10213, A10214, A10222, A10223, A10224, A10225, A10226, A10227, A10231, A10232, A10235, A10237, A10241, A10243, A10244, A10245, A10247, A10250, A10251, A10253, A10254, A10256, A10258, A10259, A10260, A20001, AT-11TP, AT-11TPCB, AT-11TPS, B10056, B10061, B10068, B10072, B10074, B10088, B10089, B10090, B10091, B10092, B10093, B10094, B10097, B10102, B10104, B10132, B10141, B10142, B10143, C10021, C10031, C10038, C10039, C10040, C10041, C10042, C10043, C10044, C10045, C10046, C10059, C10060, C10069, C10100, C10108, C10109, C10122, C10134, C10135, C10163, C10170, C10179, C10180, C10231, C10235, C10236, C10237, C10270, C10276, C10277, C10278, C10279, C10290, C10301, C10302, C10307, C10309, C10310, C10315, C10323, C10335, C10338, C10341, C10344, C10347, C10352, C10367, C10368, C10387, C10388, C10390, C10392, C10393, C10394, C10400, C10401, C10402, C10405, C10406, C10409, C10410, C10411, C10412, C10413, C10414, C10415, C10418, C10419, C10421, C10430, C10434, C10437, C10442, C10454, C10459, C10460, C10471, C10473, C10474, C10478, C10479, C10481, C10482, C10483, C10487, C10500, C10505, C10516, C10517, C10521, C10522, C10526, C10528, C10529, C10530, C10531, C10544, C10548, C10560, C10561, C10579, C10640, C10641, C10642, C10643, C10644, C10645, C10646, D10003, D10014, D10015, D10016, D10017, D10038, D10098, D10099, D10102, D10123-X, D10136, D10139, D10141, D10142, D10143, D10144, D10173, D10180, D10181, D10196, D10212, DC04314#, DK7724000, DK7724001, DK7724002, DK7724009, DK7724020, DK7724200, DK7724210, DK7724212, DK7724220, DK7724220-2, DK7724221, DK7724222-1, DK7724223-1, DK7724224, DK7748000, DK7748009, DK7748200, DK7748210, DK7748212, DK7748213, DK7748220, DK7748220-3, DK7748222, DK7748223, DK7748224, DK7772009, DK7772200, DK7772204, DK7772220, DK7772223, DK7799009, DQFP Series, E015801, E016801, E016803, E10001, E10002, E10003, E10004, E10006, E10007, E10008, E10009, E10046, E10058, E10074, E10078, E10089, E10091, E10092, E10093, E10099, E10103, E10104, E10105, E10109, E10111, E10112, E10113, E10114, E10115, E10119, E10124, E10125, E10126, E10127, E10128, E10137, E10138, E10139, E10140, E10142, E10145, E10147, E10148, E10153, E10154, E10162, E10174, E10175, E10196, E10197, E10198, E10199, E76882, F10001, F10049, F10050, F10053, F10059, F10065, F10081, F10087, F10092, F10093, HA3230-00-1019, HA3230-00-1020, HA3230-00-1021, HA3230-00-1036

Relocatable power taps, Model(s) J, followed by 3 thru 24, followed by 2 thru 6, followed by A, B, C, D, E or F, followed by 0, 1, 2, 4 or 5, followed by 1 thru 9, followed by 1 thru 9, may be followed by H or C.

Relocatable power taps, Model(s) K, L, R or P, followed by 3, 4, 5, 6, 7 or 8, followed by 0, 1, 2, 3 or 4, followed by 0, 1, 2, 3 or 4, followed by 0, 1, 2, 4 or 5, with or without Suffix H, C or -TL.

Relocatable power taps, Model(s) KC Series, KP Series, L10061, L10066, L10066-A, L10066-B, L10075-X, L10094, L10119, L10162, L10223, L10230, L10264, L10284, L10303, L10330, L10361, L10363, L10378, L10389, L10392, L10397, L10401, L10402, L10407, L10423, L10428, L10436, L10454, L10466, L10468, L10469, L10486, L10495, L10501, L10517, L10528, L10529, L10530, L10531, L10532, L10533, L10535, L10537, L10539, L10540, L10541, L10542, L10568, L10577, L10580, L10593, L10594, L10604, L10607, L10617, L10621, L10641, L10643, L10645, L10647, L10653, L10654, L10656, L10657, L10663, L10666, L10669, L10695, L10696, L10738, L10762, L10822, L10823, L10831, L10832, L10833, LC15-0001 thru LC15-9999, LC20-0001 thru LC20-9999, LC4S-15, LC4S-6, LC6S-15, LC6S-6

Relocatable Power Taps, Model(s) M6BZNET may have additional suffixes denoting cosmetic differences

Relocatable Power Taps, Model(s) M6BZNET-15 may have additional suffixes denoting cosmetic differences

Relocatable power taps, Model(s) N15-0001 thru N15-9999, N20-0001 thru N20-9999, NM20-C, OB42-8, OB52-10, OB62-12, P1000, P10001, P10002, P10005, P10018, P10039, P10040, P10061, P10064, P10071, P10073, P10075, P10076, P10080, P10092, P10093, P10097, P10101, P10105, P10106, P10107, P10108, P10111, P10132, P10139, P10149, P10163, P10171-15, P10177, P10179, P10187, P10208, P10220, P5190006, P5190012, P5192000, P5192001, P5192002, P5192003, P5192004, P5192006, P5192008, P5192009, P5192013, P5192014, P5192017, P5192018, P5192019, P5192021, P5192023, P5192024, P5192025, P5192030, P5192036, P5198004, PM48T, PM48TC, POS-11, POS-4, POS-7, POS-9, PS0848-20AT, PS181A, PS24151M, PS7011ULBD, PS7712ULBC20, PUDP, PWCW121808, PWCW124338, PWCW166394, PWCW181256, PWCW182046, PWCW219331, PWCW231057, PWCW268568, PWCW312512, R400, R410, R412, R600, R610, R612, SH36106, SH36107, SH36153, SHA4099008, SPLA02019-4, TOTS151121, T60007, T60008, T60009, T60010, T60011, T60012, T60013, T60014, T60015, T60016, T60017, T60019, T60020, T60021, T60022, T60023, T60024, T60025, T60026, T60028, T60029, TS Series, UL-100 BM-1, UL-100 BM-2, UL-100BC, UL-101BC, UL-102BC, UL-104BC, UL-1090BC, UL-1090BD, UL-2000BC, UL-2001BC, UL-2002BC, UL-2002BD, UL-2005BC, UL-204BC, UL-205BC, UL-2060BC, UL-2061BC, UL-2063BC, UL-2064BC, UL-2065BC, UL-206BC, UL-206SBC, UL-207BC, UL-208BC, UL-209BC, UL-210BC, UL-215BC, UL-218BC

Relocatable power taps, Model(s) UL-220, followed by 13 thru 45, followed by -10 thru -28, followed by 15 or 20, followed by -02 thru -25, may be followed by NS, may be followed by TL, may be followed by NSTL.

Relocatable power taps, Model(s) UL-300BC, UL-300BD, UL-401BC, UL-402BC, UL-403BC, UL-404BC

Relocatable Power Taps, Model(s) UL309BC may be followed by additional suffixes denoting cosmetic differences

Relocatable Power Taps, Model(s) UL309BD may be followed by additional suffixes denoting cosmetic differences

Relocatable power taps, Model(s) ULB-420-15, ULB-420-6, ULB-420-X, ULB-620-15, ULB-620-6, ULB-620-X, ULB-820-15, ULB-820-6, ULB-820-X

Relocatable power taps, Model(s) ULBH, followed by 4, 6 or 8, followed by 1.5 thru 25.

Relocatable power taps, Model(s) VSP-16-20-L520P, WM1044

Relocatable power taps/Surge protective devices, Model(s) 19C175-01#, 200BCS20R#, 200BDS20R#

Relocatable power taps/Surge protective devices, Model(s) 4810, 7011 or 7712, followed by ULB, followed by C or D, followed by 20.

Relocatable power taps/Surge protective devices, Model(s) 4810BCS#, 4810BCS20#, 4810BDS#, 4810BDS20#, 7-10302#, 7-10305#, 7-10306#, 7011BCS#, 7011BCS20#, 7011BDS#, 7011BDS20#, 77000N+, 7712BCS#, 7712BCS20#, 7712BDS#, 7712BDS20#, AT4-X#, AT6-X#, B10067#, BN4A-X#, BN590-6#, BN6-X#, BN6A-X#, BNMP-2-X#, BNMP-4-X#, BNMP-6-X#, BNMP-RS2-X#, BNMP-RS4-X#, BNMP-RS6-X#, BNRS4-X#, BNRS4A-X#, BNRS6-X#, BNRS6A-X#, C10391#, C10401#, C10486#, C10540#, D10046-X#, D10062-X#, D10084-X#, D10085-X#, D10115#, D10123-X#, D10134-X#, D10135-X#, D10141-X#, D10142-X#, D10143-X#, D10144-X#, D10155#, D10180-X#, D10181-X#, D10196-X#, D10214#, D10215#, D10220#, DK7724300#, DK7724303, GTMP-2-X#, GTMP-4-X#, GTMP-6-X#, GTMP-RS2-X#, GTMP-RS4-X#, GTMP-RS6-X#, KS410#, KS610#, KSD410#, KSD412#, KT410#, KT610#, KTD410#, L10057-X#, L10135#, L10196#, L10246#, L10415#, L10512, L10527#, L10635#, L10681#, LC15SC-0001 thru LC15SC-9999, LC15SP-0001 thru LC15SP-9999

Relocatable power taps/Surge protective devices, Model(s) LC20SC-0001 to LC20SC-9999 may be followed by additional suffixes

Relocatable power taps/Surge protective devices, Model(s) M420BZ#, M420BZ-15#, M420BZLS#, M420BZLS-15#, M4BZ#, M4BZ-15#, M4BZM#, M4G#, M4G-15#, M4S#, M4S-15#, M4SM#, M4SM-15#, M620BZ, M620BZ-15#, M620BZLS#, M620BZLS-15#, M6BZ#, M6BZ-15#, M6BZM#, M6BZM-15#, M6BZR#, M6BZR-15#, M6G#, M6G-15#, M6GR-15#, M6S#, M6S-15#, M6SR#, M6SR-15#, P10001#, P10004#, P10006#, P10022#, P10033#, P10034#, P10079#, P10081#, P10094#, P10099#, P10118#, P10124#, P10172, P10173, P10176#, P10184#, P10188, P10191#, P10196, P10206, POS11-S#, POS7-S#, POS9-S#, PR610N+, PWCW170806#, PWDL171930#, RS410#, RS412#, RS610#, RS612#, RSD410#, RT410#, RT412#, RT610#, RT612#, RTD410#, RTD412#, RXD410#, SP-14#, SP-19#, SP197A, SP197A#, SP198A, SP198A#, SP199A, SP199A#, SP214A#, SP214AR2#, SP216A#, SP217A#, SP218A#, SR10N+, Z1XX180130#

Relocatable power taps/Surge protective devices w/EMI filter, Type 3 SPD, Model(s) BNNW2-X, D1062, GT590-X, M6GR@, P10147

Relocatable power taps/Surge protective devices w/EMI filtering, Model(s) 88-PSLC#, A10057-X#, BN4-X#, D10067#, D10105#, D10139#, E10049-X#, GT4-X#, GT6-X#, GTRS4-X#, GTRS6-X#, I10001-X#, L10171, L10196, P10123#, VCN4-15E#, VCN590-6#, VMP-4#, VMP-6#, VMP-8#, VMPR-54#, VMPR-56#

Relocatable power taps/Surge protective devices, Type 3 SPD, Model(s) 2008BCS20R, C10589, C10620, D10134, D10135, E10161, M4BZM-15, M6BZM-15, RSD412, SP216A, SP217A, SP218A, VCN4, VCN4-15, VCN4-6, VCN6, VCN6-15, VCN6-6, VCN8, VCNRS4, VCNRS6, VCNRS6-15, VCNRS6-6, VCNRS8, VPM2, VPM4-15, VPM4-6, VPM6-6

- Complementary listed as VZCA under E66421.

(a) - Followed by ULB, may be followed by -TL

+ - Complementary listed as VZCA under E322765.

Note - All models may be followed by additional suffixes denoting cosmetic differences. In some models, the letter C may be replaced with the letter D. The letter X denotes cord length of 1.5 thru 25 ft. Suffix A may be used to designate beige color. Suffix S denotes switch. Suffix BC denotes 6 ft cord length. Suffix BD denotes 15 ft cord length. The letter L denotes cord length of 1.5 to 15 ft incl. The letters -TL denotes twist-lock plug is employed. The letters AM or RAM denotes ammeter is employed.

[Click here to view the Colombia Market Access Certification](#)



Last Updated on 2018-11-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"