

CERTIFICATE OF COMPLIANCE

Certificate Number 20140829-E96454
Report Reference E96454-20140827
Issue Date 2014-AUGUST-29

Issued to: SCHURTER AG
PO BOX 4168
CH-6002 LUZERN SWITZERLAND


This is to certify that representative samples of COMPONENT - ATTACHMENT PLUGS, FUSELESS Cord Connector, Series 4790 and 4795

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 60320-1, the Standard for Appliances Couplers for Household and Similar General Purposes , and CSA C22.2 60320-1-11

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



DESCRIPTION

PRODUCT COVERED:

USL, CNL Cord Connector, Series 4790 and 4795.

GENERAL:

All connectors are 2 pole, 3-wire grounding devices.

All devices are rated 20 A, 250 Vac.

Nomenclature - The catalog numbers are designated as shown in Illustrations.

USL - Indicates investigation to the requirements of the Standard for Appliance Couplers For Household And Similar General Purposes, UL 60320-1, Edition 2.

CNL - Indicates investigation to the requirements of the Standard for Appliance Couplers For Household And Similar General Purposes, C22.2 No. 60320-1-11, First Edition.

Nomenclature Breakdown

MODEL NOMENCLATURE 4790:

479
0 . 1 X 0 0 . XX
I II III

I = Model designation
4790 = Angled model

II = Cable Guard
1 = Ø 8 (10)mm
2 = Ø 10mm

III = Customer Specific Type (Optional)
A...ZZ / 0...99 = customer specific (e.g. packaging, etc.)

MODEL NOMENCLATURE 4795:

479
5 . 0 X 0 0 . XX
I II III

I = Model designation
4790 = Straight model

II = Cable Guard
0 = Ø 8 (10)mm
1 = Ø 10mm

III = Customer Specific Type (Optional)
A...ZZ / 0...99 = customer specific (e.g. packaging, etc.)