

CERTIFICATE OF COMPLIANCE

Certificate Number E99973
Report Reference E99973-2006-10-05
Date 2021-December-20

Issued to: Interpower Corp
PO BOX 115
Oskaloosa IA, 52577-1864 US

**This is to certify that
representative samples of**

**CORD SETS AND POWER-SUPPLY CORDS -
COMPONENT**

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL817 and C22.2 No. 21-18-Cord Sets and Power Supply Cords

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E99973
Report Reference E99973-2006-10-05
Date 2021-December-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

USR, CNR: Component – Power Supply Cord Cat. Nos. 002, 003, 005, 011, 012, 014, 019, 020, 021, 022, 052, 054, 053, 055, 056, 057, 062, 063, 066, 068, 069, 070, 080.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





Toll-free numbers Tel: (800) 662-2290
(US/Can., PR, VI) Fax: (800) 645-5360
International numbers Tel: (641) 673-5000
Fax: (641) 673-5100



P.O. Box 115 • 100 Interpower Avenue • Oskaloosa, IA 52577-0115 U.S.A. • www.interpower.com

CERTIFICATE OF COMPLIANCE

The below products has been investigated by UL in accordance with the standard(s) indicated on this certificate.

Manufacture: INTERPOWER CORP
100 INTERPOWER AVE
PO BOX 115
OSKALOOSA IA 52577

**This is to certify that
representative samples of**

COMPONENT - CORD SETS AND POWER-SUPPLY CORDS
Plugs NEMA: 1-15P Cat# 016, 083, / 5-15P Cat# 004, 018, 038, 039 /
5-20P Cat# 028, 071 / 6-20P Cat# 029, 073 / 6-15P Cat# 030, 072
NEMA connector – 5-15R Cat# 026 / 1-15R Cat 019
IEC Plugs: Sheet E Cat# E02, Sheet I Cat# 050
IEC Appliance Connectors: C13 Cat# 052,053,055,056,057 / C19 Cat#
068,069,070,013,015 / C5 Cat# 054 / C7 Cat# 080 / C17 Cat#
062,063,066

Standard(s) for Safety: UL817 Cord Sets and Power Supply Cords
C22.2 No. 21-14 - Cord Sets and Power Supply Cords
IEC Plugs and Connectors were additionally evaluated to UL 60320-1
and CSA C22.2 No. 60320-1-11, Appliances Couplers for Household and
Similar General Purpose.
ANSI/NEMA WD6

This certificate of compliance will only be revised when there has been a change to any of the safety standards mention above.

Reference file: E99973

Product Compliance Specialist
Interpower Corporation

ELBZ2.E99973 - CORD SETS AND POWER-SUPPLY CORDS - COMPONENT

Cord Sets and Power-supply Cords - Component

See General Information for Cord Sets and Power-supply Cords - Component

INTERPOWER CORP

E99973

100 INTERPOWER AVE
PO BOX 115
OSKALOOSA, IA 52577 USA

Power Supply Cords Cat. No.	Cord or Wire AWG Size	Electrical Rating	Code
002, 003, 005, 020, 021, 022	18, 16, 14	10, 13, 15A/250V	—
011, 012, 014	18, 16, 14, 12	10, 13, 18, 20A/250V	—
019	16, 14	13, 15A/125V	—
052, 053, 055, 056, 057	18, 16, 14	10, 13, 15A/250V	—
8625 Series#	18, 16, 14	10, 13, 15A/125V	—
068, 069, 070	18, 17, 16, 15, 14, 13, 12	10, 12, 13, 16, 18, 20, 20A/125, 250V	—
062, 063, 066	18, 17, 16, 15, 14	10, 12, 13, 15, 15A/250V	—

- May be followed by one to four digits for internal traceability.

Marking: Company name and catalog designation.

Last Updated on 2018-08-09

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



ELBZ7.E99973 - Cord Sets and Power-supply Cords Certified for Canada

Cord Sets and Power-supply Cords Certified for Canada

See General Information for Cord Sets and Power-supply Cords Certified for Canada

INTERPOWER CORP

E99973

100 INTERPOWER AVE
PO BOX 115
OSKALOOSA, IA 52577 USA
Power-supply cords

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
001	5-15P	18/3	SPT-2, SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, non-shielded or shielded	10/125
		16/3	SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, non-shielded or shielded	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW non-shielded or shielded	15/125
004	5-15P	18/3	SPT-2, SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, non-shielded or shielded	10/125
		16/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, non-shielded or shielded	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, non-shielded or shielded	15/125
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW non-shielded or shielded	15/125
016		18/2	SVT, SPT-2, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/125
		16/2	SVT, SPT-2, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14/2	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
018		18/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW non-shielded or shielded	10/125

		16/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW non-shielded or shielded	13/125
		14/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOW non-shielded or shielded	15/125
		12/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOW non-shielded or shielded	15/125
038	5-15P	18/3	SVT, SVTO, SJT, SJTO non-shielded	10/125
		16/3	SVT, SVTO, SJT, SJTO non-shielded	13/125
		14/3	SJT, SJTO non-shielded	15/125
071	5-20P	18/3	SVT, SVTO, SJT, SJTO non-shielded	10/125
		16/3	SVT, SVTO, SJT, SJTO non-shielded	13/125
		14/3	SJT, SJTO non-shielded	18/125
072	6-15P	18/3	SVT, SVTO, SJT, SJTO non-shielded	10/250
		16/3	SVT, SVTO, SJT, SJTO non-shielded	13/250
		14/3	SJT, SJTO non-shielded	15/250
073	6-20P	18/3	SVT, SVTO, SJT, SJTO non-shielded	10/250
		16/3	SVT, SVTO, SJT, SJTO non-shielded	13/250
		14/3	SJT, SJTO non-shielded	18/250
039		18/3	SPT-2, SVT, SJT, SJTW, SJTO, SJTOO, SJTOW, SJTOOW non-shielded or shielded	
		16/3	SPT-2, SVT, SJT, SJTW, SJTO, SJTOO, SJTOW, SJTOOW non-shielded or shielded	
		14/3	SJT, SJTW, SJTO, SJTOO, SJTOW, SJTOOW non-shielded or shielded	
028	5-20P	18/3	SJT, SJTW, SJTO, SJTOW ST, STO, STOW non-shielded or shielded	10/125
		16/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	15/125
		12/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	20/125
029	6-20P	18/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	10/250

		16/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	13/250
		14/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	15/250
		12/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	20/250
030	6-15P	18/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	10/250
		16/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	13/250
		14/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	15/250
		12/3	SJT, SJTW, SJTO, SJTOW, ST, STO, STOW non-shielded or shielded	15/250
083	1-15P	18/2	SVT, SPT-2, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/125
		16/2	SVT, SPT-2, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14/2	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125

Cord Sets - General Use

Cat. No.	NEMA Config	Cord AWG	Cord Type	Electrical Rating Amps V
026	5-15R	16/3	SVT, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/125

Special-use cord sets

Cat. No.	IEC 320 Config	Cord AWG	Cord Type	Electrical Rating Amps V
E02	Sheet E	18/3	SPT-2, SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	10/250
		17/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	12/250
		16/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/250
		15/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/250

050	Sheet I	16/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/250
		15/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	16/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	18/250
		13/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/250
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/250
019		16/2	SJT, SJTO, SJTW, SJTOW	13/125
		14/2	SJT, SJTO, SJTW, SJTOW	15/125
052, 053, 055, 056, 057	C13	18/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOOW, SE, SEW, SEO, SEOW, SEOO, SEOOOW	10/250
		17/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOOW, SE, SEW, SEO, SEOW, SEOO, SEOOOW	12/250
		16/3	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOOW, SE, SEW, SEO, SEOW, SEOO, SEOOOW	13/250
		15/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOOW, SE, SEW, SEO, SEOW, SEOO, SEOOOW	15/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOOW, SE, SEW, SEO, SEOW, SEOO, SEOOOW	15/250
054	C5	18/3	SPT-2, SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	2.5 /125, 250 7/125
013, 015, 068, 069, 070	C19	18/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOOW, SE, SEO, SEOO, SEW, SEOW, SEOOOW	10/125, 250
		17/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOOW, SE, SEO, SEOO, SEW, SEOW, SEOOOW	12/125, 250
		16/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOOW, SE, SEO, SEOO, SEW, SEOW, SEOOOW	13/125, 250
		15/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOOW, SE, SEO, SEOO, SEW, SEOW, SEOOOW	16/125, 250

		14/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOWW, SE, SEO, SEOO, SEW, SEOW, SEOWW	18/125, 250
		13/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOWW, SE, SEO, SEOO, SEW, SEOW, SEOWW	20/125, 250
		12/3	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW, ST, STO, STOO, STW, STOW, STOOW, SJE, SJEO, SJEOO, SJEW, SJEOW, SJEOWW, SE, SEO, SEOO, SEW, SEOW, SEOWW	20/125, 250
080	C7	18/2	SPT-2, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	7/125
				2.5/125, 250
062, 063, 066	C17	18/2	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOWW, SE, SEW, SEO, SEOW, SEOO, SEOWW	10/250
		17/2	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOWW, SE, SEW, SEO, SEOW, SEOO, SEOWW	12/250
		16/2	SVT, SVTO, SVTOO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOWW, SE, SEW, SEO, SEOW, SEOO, SEOWW	13/250
		15/2	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOWW, SE, SEW, SEO, SEOW, SEOO, SEOWW	15/250
		14/2	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJE, SJEW, SJEO, SJEOW, SJEOO, SJEOWW, SE, SEW, SEO, SEOW, SEOO, SEOWW	15/250

Repackaged Listed Bulk Power Supply Cords

Last Updated on 2020-03-18

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

ELBZ8.E99973 - CORD SETS AND POWER-SUPPLY CORDS CERTIFIED FOR CANADA - COMPONENT

Cord Sets and Power-supply Cords Certified for Canada - Component

See General Information for Cord Sets and Power-supply Cords Certified for Canada - Component

INTERPOWER CORP

E99973

100 INTERPOWER AVE
PO BOX 115
OSKALOOSA, IA 52577 USA

Power Supply Cords Cat. No.	Cord or Wire AWG Size	Electrical Rating	Code
002, 003, 005, 020, 021, 022	18, 16, 14	10, 13, 15A/250V	—
011, 012, 014	18, 16, 14, 12	10, 13, 18, 20A/250V	—
019	16, 14	13, 15A/125V	—
052, 053, 055, 056, 057	18, 16, 14	10, 13, 15A/250V	—
8625 Series#	18, 16, 14	10, 13, 15A/125V	—
068, 069, 070	18, 17, 16, 15, 14, 13, 12	10, 12, 13, 16, 18, 20, 20A/125, 250V	—
062, 063, 066	18, 17, 16, 15, 14	10, 12, 13, 15, 15A/250V	—

- May be followed by one to four digits for internal traceability.

Marking: Company name or trade name or trademark and catalog designation.

Last Updated on 2018-08-09

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"