D DEK

EKRA D

dekra D Dekra D Ra D Dei

RA DO

DEKRA EKRA DE DEKRA

DEKR

# CERTIFICATE

Issued to:
Applicant:
Interpower Corporation
100 Interpower Avenue
IA 52577, Oskaloosa, United States Of America

Manufacturer/Licensee:
Interpower Corporation
100 Interpower Avenue
IA 52577, Oskaloosa, United States Of America

Product(s) : plugs, (2-pole)
Trade name(s) : INTERPOWER

Type(s)/model(s) : 008,009

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard DIN VDE 0620-1:2010, IEC 60884-1:2002/+/A1/2006, NEN 1020:1987 + A2;2004, NF C61-314:2008 + A1:2010
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 974041

DEKRA hereby grants the right to use the KEMA-KEUR certification mark

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on: 27 January 2011 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2140755.01

DEKRA Certification B.V.

drs. G.J. Zoetbrood Managing Director F.S. Strikwerda Certification Manager

© Integral publication of this certificate is allowed

All testing, inspection, auditing and certification activities of the former KEMA Quality are an integral part of the DEKRA Certification Group.

ACCREDITED BY
THE DUTCH COUNCIL
FOR ACCREDITATION







### ANNEX TO KEMA-KEUR CERTIFICATE 2140755.01

page 1 of 2

### SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

product : plugs, (2-pole) trade name : INTERPOWER type : 008, 009

type : 008, 00 rated current : 16 A rated voltage : 250 V~

earthing : with dual earthing-contacts

design : non-rewirable

standard sheet : VII

applied flexible cord : H03VV-F 3G0,75 mm<sup>2</sup>

H05VV-F 3G0,75, 3G1,0 and 3G1,5 mm<sup>2</sup>

certification mark : HAR certified cord termination : crimped connection

description : body of thermoplastic material as part of an incomplete cord

set for class I appliances

markings : are shown on the body

Product data - type 008

design : angled type

Product data - type 009

design : straight type

**TESTS** 

Test requirements

IEC 60884-1:2002 + A1:2006

The Netherlands:

NEN 1020:1987 + A2:2004 NF C61-314:2008 + A1:2010

France: Germany:

DIN VDE 0620-1:2010

Test result

The test results are laid down in DEKRA test file 2140755.01.

Remarks

This certificate replaces our certificate 2116025.01 dated 2008-06-16 and is also partly based on the results of that certificate.



## ANNEX TO KEMA-KEUR CERTIFICATE 2140755.01

page 2 of 2

## Conclusion

The examination proved that all test requirements were met.

Tested by

: F.P. Swenne

Checked by

: H.R.M. Barends

**Factory locations** 

Interpower Corporation 100 Interpower Avenue, IA 52577, Oskaloosa United States Of America

Interpower Corporation 221 South Spruce St., IA 50140, Lamoni United States Of America