

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Receptacles for Plugs and Attachment Plugs

COMPANY

LEVITON MFG CO INC

201 N SERVICE RD

MELVILLE, NY 11747-3138 United States

E13399

Trademark and/or Tradename: "E13399"

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): 05028, 05822, 1215, 1215-4, 1215-5, 1215-6, 1215-7, 1215-I, 1215SS, 1228, 1254, 1254HG, 1254IG, 12984, 1304, 1304/1 to 1304/200 incl., 1306, 1306/1 to 1306/200 incl., 1308, 1308/1 to 1308/200 incl., 1316, 1316/1 to 1316/200 incl., 1450R, 1450W, 15379-C, 15679-C, 16252AC, 16262, 16262=PL, 16262HG, 16262IG, 16262LIG, 16262-X, 16262-XHG, 16262-XIG, 16292(*SG), 16341, 16342, 16351, 16352, 16352AC, 16352-X, 16362, 16362HG, 16362IG, 16362LIG, 16362-PL, 16362-X, 16362-XHG, 16362-XIG, 16441, 16442, 16451, 16452, 16462, 16462HG, 16462-IG, 16462-LIG, 16462-X, 16641, 16651, 16652, 16662, 16662HG, 16662IG, 16662LIG, 16662-X, 20403-L, 21254, 21254HG, 21254IG, 223, 2310, 2316, 2320, 2326, 2330, 2336, 2340, 2346, 2350, 2356, 2360, 2366, 2370, 2376, 2380, 2386, 23CM036, 23CM046, 23CM-10, 23CM-20, 23CM-30, 2410, 2416, 2420, 2426, 2430, 2430IG, 2436, 2440, 2446, 2450, 2456, 2460, 2466, 24CM-20, 24CM-30, 25014, 25014BU, 25014E, 25014GN, 25014GY, 25014I, 25014RO, 25014TA, 25014W, 25014WT, 2510, 2510IG (*FS), 2520, 2520IG, 2526, 2530, 2530IG, 2546, 25675, 2610, 2616, 2620, 2626, 2630, 2636, 2640, 2640IG, 2646, 2650, 2650A, 2650IG, 2656, 2660, 2660A, 2666, 2670, 2676, 2680, 2686, 2690, 2696, 26CM-10, 26CM-20, 2710, 2716, 2720, 2726, 2730, 2730IG, 2736, 2740, 2740IG, 2746, 2750, 2756, 2760, 276-2, 2766, 276-7, 277, 2770, 2776, 277-7, 278, 278-2, 278-7, 278IG, 279, 279-2, 279-7, 279IG, 27CM-10, 27CM-20, 27CM-30, 2810, 2816, 2820, 2820IG, 2826, 2830, 2830IG, 2836, 306, 306/1 to 306/200 incl., 31327, 3326, 3330, 3335, 3430, 3435, 3520, 3525, 3720, 4785-C, 5050, 5098AC, 5206, 5207, 5280, 5280-IG, 5320, 5320-10, 5320-4, 5320-4I, 5320-5, 5320-6, 5320-6I, 5320-8, 5320I, 5320W, 5320X, 5320XI, 5320Y, 5320YE, 5320YG, 5320YI, 5320YM, 5320Z, 5320ZE, 5320ZG, 5320ZI, 5320ZM, 5320ZW, 5325, 5325-5, 5325W, 5362SG(*FS), 5362-XSG, 5371, 5371IG, 5372, 5372-8, 5372IG, 5373, 5373IG, 5374, 5374IG, 5375, 5376, 5377, 5378, 5380, 5380-IG, 5480+, 5480-IG+, 5490+, 5490-IG+, 5675, 5821, 5821I, 5822, 5823, 5823I, 5824, 5842, 5842I, 5842IGI, 5842IGM, 5844, 5844I, 5844IGI, 5844IGM, 70520, 70520FCR (*FS), 70520FIG, 70530, 70620, 70620FIG, 70630, 70630FIG, 70720, 70720FIG, 70730, 70730FIG, 70730FR (*FS), 70820, 70820FIG, 70820FR, 70830, 70830FIG, 70920, 70920FIG, 70920FR, 70930, 70930FIG, 70930FR, 71020, 71030, 71030FR, 71120, 71120FR, 71130, 71130FR, 71220, 71220FR, 71230, 71230FR, 71330, 71330FR, 71420, 71420FIG, 71420FR (*FS), 71430, 71430FIG, 71430FR (*FS), 71520, 71520FIG, 71530, 71530FIG, 71530FR (*FS), 71620, 71620FIG, 71620FR, 71630, 71630FIG, 71630FR, 71730, 71730FIG, 71730FR, 71820, 71820FR (*FS), 71830, 71830FR, 71920, 71930, 72020, 72030, 72030FR, 72120, 72120FIG, 72130, 72130FIG, 72130FR (*FS), 72220, 72220FIG, 72230, 72230FIG, 72320, 72320FIG, 72330, 72330FIG, 72430, 72430FR (*FS), 72530, 72530FR (*FS), 72630, 72630FR (*FS), 72730, 72730FR (*FS), 7280, 7280-IG, 7310, 7313, 7380, 7380-IG, 7409, 7410, 8200F-SG, 8200H (*FS), 8200-L(*FS), 8200SG, 8280, 8280-IG, 8300F-SG, 8300SG, 8330FR, 8350FR, 8360FR, 8380, 8380-IG, 8381, 8381R, 8381W, 8430FR, 8450FR, 8460FR, 8480-HG, 8480-HG-IG, 8490-HG, 8490-HG-IG, 9306/101 to 9306/200 incl., 9460FR, 9730FR, 9750FR, AC215, AC220, ACSSR, BR015, BR020, BR15, BR20, CBR15, CBR15, CBR20, CBR20, CR015, CR020, CR15, CR20, D5675, DR20, E5325, LR142, LR143, LR520, LR530, LR630, MT528, MT538, MT72, MT738, MT828, MT838, RER15, RER20, SR001, T5028, T5280, T5285, T5320, T5320, T5325, T5325, T5380, T5820, T5822, T5825, T6525, T7280, T7380, T8280, T8380, T8381, TBR15, TBR15, TBR15, TBR20, TBR20, TCBR1, TCBR1, TCBR2, TCBR2, TCR15, TCR15, TCR20, TCR20, TDR15, TDR15, TDR20, TWR15, TWR20, VBTR1, VM0B0, VM0L3, VMAC2, VMTR1, W0278, W0279, W278, W279, W5320, W5320, W5325, W5820, W5825, W7313

Covers for Receptacles, Model(s): WP4

Covers for single pin connectors, Model(s): 15S31, 16S31

Flanged Outlet, Model(s): 5W34-S, 80W04-D, 80W07-D, 85W04-D, 85W07-D, 85W34-D, 85W47-D, 85W49-D, 87W07-D, 90W04-S, 90W07-S, 90W33-S, 90W47-S, 90W48-S, 90W49-S, 93W07-S, 95W04-S, 95W07-S, 95W47-S, 95W49-S, 97W07-S, 97W08-S, 97W09-S, 97W10-S, 97W47-S, 97W48-S, 97W49-S, 97W74-S, 97W75-S, 97W76-S, 97W81-S, 97W82-S, 97W83-S, 99W08-S, 99W09-S, 99W47-S, 99W48-S, 99W49-S, 99W74-S, 99W75-S, 99W76-S, 99W77-S, 99W81-S, 99W82-S, 99W83-S

General grade receptacles, isolated ground, Model(s): 16262-IGX, 16362-IGX, 5262-IGX, 5362-IGX, CR15-IGX, CR20-IGX

General grade receptacles, one piece ground, Model(s): L5262-XXX, L5362-XXX

Hospital grade receptacles, isolated ground, Model(s): 8200-IGX, 8300-IGX, D8200-IGX, D8300-IGX

Hospital grade receptacles, one piece ground, Model(s): 8200-HXX, 8300-HXX

Hospital grade receptacles, weather resistant, isolated ground, Model(s): W8200-IGX, W8300-IGX

Hospital grade receptacles, weather resistant, one piece ground, Model(s): W8200-XXX, W8300-XXX

Inlets, locking type, Model(s): 3775, 3777, 6375-CR, 6377-CR, 7958, CS637-5, CS817-5, CS827-5, CS837-5, CS847-5, SC637-7

Isolated ground receptacles, Model(s): M1626-IG, M1636-IG, M5262-IG, M5362-IG

Isolated ground receptacles- hospital grade, Model(s): M8200-IG, M8300-IG, MD820-IG, MD830-IG

Isolated ground receptacles- hospital grade provided with "Power Indicator", Model(s): MDP82-IG, MDP83-IG, MP820-IG, MP830-IG

Isolated ground receptacles- tamper resistant, Model(s): MT162-IG, MT163-IG, MT562-IG, MT563-IG

Isolated ground receptacles- tamper resistant-hospital grade, Model(s): MDT82-IG, MDT83-IG, MSTWL-IG, MSTWL-SIG, MSTWL-WIG, MT820-IG, MT830-IG

Receptacle, Model(s): 23000-LHG, 23030-L

Receptacle - Controlled Split Contact, Model(s): M1626-1XX, M1636-1XX, M5262-1XX, M5362-1XX

Receptacle - Split Contact, Model(s): M1626-XCX, M1636-XCX, M5262-XCX, M5362-XCX

Receptacles, Model(s): 05252, 05320, 05325, 05352, 1374, 16242, 16252, 16342, 16352, 5262-S, 5362-S, C5262, C5362, DR20, OBR15, OBR20, OCR15, OCR20

Receptacles, Model(s): 1374-XXX where -XXX may consist of letters A through Z, numbers 0 through 9 or the combination of both letters and numbers.

Receptacles with cover plates, Model(s): 37820, 37830, 60W33, 60W47, 60W49, 65W34, 65W47, 65W49, 67W08, 67W09, 67W47, 67W48, 67W49, 67W74, 67W75, 67W76, 67W81, 67W82, 67W83, 69W08, 69W09, 69W47, 69W48, 69W49, 69W74, 69W75, 69W76, 69W77, 69W81, 69W82, 69W83, LNR96-1, LNR96-2, LNR96-3, LNR96-4, LNR96-5, LNR96-6, LNR96-7

Receptacles, hospital grade, Model(s): C8200, C8300

Receptacles, locking type, Model(s): 3769, 3771, 6369-CR, 6370CR, 7379, CS636-9, CS637, CS816-9, CS826-9, CS836-9, CS846-9

Receptacles, modular, Model(s): M1626, M1626-B, M1636, M1636-B, M5262, M5262-IL, M5262-S, M5362, M5362-IL, M5362-S

Receptacles, modular, hospital grade, Model(s): M1626-HG, M1626-IL, M1626-PL, M1636-HG, M1636-IL, M1636-PL, M8200, M8200-H, M8200-IL, M8200-PL, M8300, M8300-H, M8300-IL, M8300-PL, MRI15, MRI20

Receptacles, tamper resistant, duplex, Model(s): 5321, 5326, CR15S, DR15S

Receptacles, tamper resistant, hospital grade, Model(s): 16262-SG, 16362-SG, D8200, D8200F, D8300, D8300F

Receptacles, tamper resistant, modular, Model(s): M5262-SG, M5362-SG, MT162, MT163, MT562-IL, MT562-S, MT563-IL, MT563-S

Receptacles, tamper resistant, modular, hospital grade, Model(s): M8200-SG, M8300-SG, MSTWL, MSTWL-00A, MSTWL-SDA, MSTWL-XXX, MT162-HG, MT162-IL, MT163-HG, MT163-IL, MT820, MT830

Receptacles, tamper resistant, single, Model(s): T5015, T5020, T5461, T5661, W5461-T, W5661-T

Receptacles, tamper resistant, single with nightlight, Model(s): T6525

Receptacles, tamper resistant, weather resistant, Model(s): TWR15

Receptacles, TR, Model(s): T5262, T5362, TBR15, TBR20, TCR15, TCR20, TDR15, TDR20

Receptacles, TR, hospital grade, Model(s): C8200-SG, C8300-SG

Receptacles, TR, weather resistant, Model(s): TWD15, TWD20, TWR15, TWR20, WTD15, WTD20

Receptacles, triplex type, Model(s): AC315, AC320

Receptacles, weather resistant, Model(s): W5252, W5352, WBR15, WBR20, WDR15, WDR20

Tamper Resistant Receptacle, Model(s): MT162-1XX, MT163-1XX, MT562-1XX, MT563-1XX

Tamper Resistant Receptacle - Split Contact, Model(s): MT162-XCX, MT163-XCX, MT562-XCX, MT563-XCX

Tamper Resistant Receptacles, Model(s): B5325, T5320, T5325

Tamper Resistant Receptacles with integral USB Outlets, Separable Face Assembly, Model(s): T5638-CCK

Tamper Resistant Receptacles with integral USB Outlets, Separable Face Assembly, Model(s): T5638-* -where * can be any alphanumeric character to represent options such as color or packing update.

Tamper resistant receptacles, hospital grade, isolated ground, Model(s): DT820-IGX, DT830-IGX, T8200-IGX, T8300-IGX

Tamper resistant receptacles, hospital grade, one piece ground, Model(s): T8200-XXX, T8300-XXX

Tamper resistant receptacles, hospital grade, weather resistant, isolated ground, Model(s): WT820-IGX, WT830-IGX

Tamper resistant receptacles, isolated ground, Model(s): T1626-IGX, T1636-IGX, T5262-IGX, T5362-IGX, TCR15-IGX, TCR20-IGX, TDR15-IGX, TDR20-IGX

Tamper resistant receptacles, weather resistant, hospital grade, one piece ground, Model(s): WT820-XXX, WT830-XXX

Tamper resistant receptacles, weather resistant, isolated ground, Model(s): WT562-IGX, WT563-IGX, WTD15-IGX, WTD20-IGX

Last Updated on 2024-01-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Receptacles for Plugs and Attachment Plugs Certified for Canada

COMPANY

LEVITON MFG CO INC

201 N SERVICE RD

MELVILLE, NY 11747-3138 United States

E13399

Trademark and/or Tradename: "E13399"

Note: For additional marking information, refer to the [Guide Information Page](#).

Model(s): 05028, 05822, 1215, 1215-4, 1215-5, 1215-6, 1215-7, 1215-I, 1215SS, 1228, 12984, 1304, 1304/1 to 1304/200 incl., 1306, 1306/1 to 1306/200 incl., 1308, 1308/1 to 1308/200 incl., 1316, 1316/1 to 1316/200 incl., 1450R, 1450W, 16252AC, 16352AC, 20403-L, 276-2, 276-7, 277, 277-7, 278, 278-2, 278-7, 278IG, 279, 279-2, 279-7, 279IG, 306, 306/1 to 306/200 incl., 5050, 5098AC, 5206, 5207, 5320, 5320-10, 5320-4, 5320-4I, 5320-5, 5320-6, 5320-6I, 5320-8, 5320I, 5320W, 5320X, 5320XI, 5320Y, 5320YE, 5320YG, 5320YI, 5320YM, 5320Z, 5320ZE, 5320ZG, 5320ZI, 5320ZM, 5320ZW, 5325, 5325-5, 5325W, 5362SG(*FS), 5362-XSG, 5371, 5371IG, 5372, 5372-8, 5372IG, 5373, 5373IG, 5374, 5374IG, 5375, 5376, 5377, 5378, 7313, 8200F-SG, 8200H (*FS), 8200-L(*FS), 8200SG, 8280, 8280-IG, 8300F-SG, 8300SG, 8380, 8380-IG, 8381, 8381R, 8381W, 9306/101 to 9306/200 incl., 9730FR, 9750FR, AC215, AC220, BR015, BR020, BR15, BR20, CBR15, CBR15, CBR20, CBR20, CR015, CR020, CR15, CR20, E5325, SR001, T5028, T5280, T5285, T5380, T5822, T7280, T7380, T8280, T8380, T8381, TBR15, TBR20, TCBR1, TCBR2, TCR15, TCR20, VBTR1, VM0B0, VM0L3, VMAC2, VMTR1, W0278, W0279, W278, W279, W7313

Covers for Receptacles, Model(s): WP4

Covers for single pin connectors, Model(s): 15S31, 16S31

Receptacle, Model(s): 23000-LHG, 23030-L

Receptacles, Model(s): 05320, 05325

Receptacles, tamper resistant, hospital grade, Model(s): 16262-SG, 16362-SG, D8200, D8200F, D8300, D8300F

Tamper Resistant Receptacles, Model(s): B5325, T5320, T5325

Tamper Resistant Receptacles with integral USB Outlets, Separable Face Assembly, Model(s): T5638-CCK

Tamper Resistant Receptacles with integral USB Outlets, Separable Face Assembly, Model(s): T5638-* -where * can be any alphanumeric character to represent options such as color or packing update.

Last Updated on 2024-01-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."