

Attachment Plugs, Fuseless Certified for Canada

COMPANY

HUBBELL INC WIRING DEVICE DIV

40 WATERVIEW DR SHELTON, CT 06484-4300 United States

E1706

View model for additional information

Model(s): <u>HBL4579C@ST</u>, <u>HBL4579CT@ST</u>, <u>HBL45CM79C@ST</u>, <u>HBL4729C@ST</u>, <u>HBL4729CT@ST</u>, <u>HBL4779C@ST</u>, <u>HBL4779C@ST</u>, <u>HBL4779C@ST</u>, <u>HBL47CM29@CST</u>, <u>HBL47CM79C@ST</u>, <u>HBL5269C@ST</u>, <u>HBL5269CBKST</u>, <u>HBL5269CBKSTM1</u>, <u>HBL5269CSTM1</u>, <u>HBL5269CSTM1</u>, <u>HBL5269CSTM1</u>, <u>HBL5369CBKST</u>, <u>HBL5369CBKSTM1</u>, <u>HBL5369CSTM1</u>, <u>HBL5369CT@ST</u>, <u>HBL5469C@ST</u>, <u>HBL5469CC@ST</u>, <u>HBL5469CC@ST</u>, <u>HBL5469CC@ST</u>, <u>HBL5469CC@ST</u>, <u>HBL8219CST</u>, <u>HBL8219CST</u>, <u>HBL8319CST</u>, <u>HBL8319CST</u>

Attachment plugs, Model(s): <u>3765C</u>, <u>7977</u>, <u>9309</u>, <u>9319</u>, <u>9331</u>, <u>9333</u>, <u>9361</u>, <u>9368</u>, <u>9379</u>, <u>BRY24W47</u>, <u>CS6361C</u>, <u>CS6365C</u>, <u>CS8165C</u>, <u>CS8365CA05</u>, <u>CS8365CA10</u>, <u>CS8365CA34</u>, <u>CS8465C</u>, <u>HBL3721</u>, <u>HBL503NM</u>, <u>HBL503RI</u>, <u>HBL504NM</u>, <u>HBL504RI</u>

Attachment plugs, Model(s): 14W47A may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 14W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 14W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 14W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 24W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 24W47A may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 24W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 24W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W49 may contain the prefix HBL for commercial purposes. BK indicates bla

Attachment plugs, Model(s): 26W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W75BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W09 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY14W33 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY14W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY14W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY14W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY14W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): BRY24W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY24W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY24W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W75BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W81</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment Plugs, Model(s): 63CM65, 63CM65C

Attachment Plugs Locking Type, Model(s): HBL2311ST, HBL2321ST, HBL2331ST, HBL2341ST, HBL2351ST, HBL2351ST, HBL2411ST, HBL2421ST, HBL2431ST, HBL2511ST, HBL2521ST, HBL2531ST, HBL2631ST, HBL2641ST, HBL2651ST, HBL2711ST, HBL2711ST, HBL2731ST, HBL2741ST, HBL2801ST, HBL2811ST, HBL2821ST, HBL2831ST, HBL3721ST, HBL4770C@ST, HBL4570CT@ST, HBL4570CT@ST, HBL4720CT@ST, HBL4720CT@ST, HBL4770CT@ST, HBL4770CT@ST, HBL47CM20@CST, HBL47CM70C@ST, HBL5266CC@ST, HBL5266CC@ST, HBL5266CC@ST, HBL5366CC@ST, HBL5366CC@ST, HBL5466CC@ST, HBL546CCMST, HBL546CCMST, HBL546CCMST, HBL546CCMST, HBL546CCMST, HBL546CCMST, HBL54CCMST, HBL54CCMST

Cord Connector, Model(s): <u>H320C</u>

Cord connectors, Model(s): <u>3764C</u>, <u>63CM64</u>, <u>63CM64C</u>, <u>CS6360C</u>, <u>CS6364C</u>, <u>CS8156C</u>, <u>CS8164C</u>, <u>CS8264C</u>, <u>CS8364C</u>, <u>CS8364CA05</u>, <u>CS8464C</u>

Cord connectors, Model(s): BRY15W33 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY25W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY25W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W08</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W75BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W76BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): BRY27W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY27W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY27W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY27W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W09 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): <u>BRY29W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord Connectors, Model(s): 15W33A*, 25W34*, 25W47A*, 25W47BK*, 25W49*, 27W83*, BRY25W47, BRY25W49

Cord Connectors, Model(s): 15W47A* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 15W47BK* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 15W48* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>15W49*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>27W08*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>27W09*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>27W47*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>27W47BK*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W48* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W49* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W74* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W75* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W75BK* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>27W76*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W76BK* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W81* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W81BK* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 27W82* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W08*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W09*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W47* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W47BK*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W48* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W49*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W74*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W75* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W76* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W76BK*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W77* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W78*</u> With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W81* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W81BK* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): 29W82* With or without additional suffixes ANP or ATP.

Cord Connectors, Model(s): <u>29W83*</u> With or without additional suffixes ANP or ATP.

Cord connectors (reverse-service), Model(s): 1E95409G0X, HBL2313SR, 1E95409G06, HBL2323SR, 1E95409G03, 1E95409G05, HBL2333SR, HBL2343SR, HBL2353SR, HBL2413SR, HBL2423SR, HBL2433SR, HBL2513SR, HBL2523SR, HBL2533SR, HBL2613SR, 1E95409G04, HBL2623SR, 1E95409G01, HBL2633SR, HBL2643SR, HBL2653SR, HBL2713SR, HBL2723SR, 1E95409G02, HBL2733SR, HBL2743SR, HBL2813SR, HBL283SSR, HBL283SSR, HBL2833SR

Cord Connectors Locking Type, Model(s): <u>HBL2313ST</u>, <u>HBL2323ST</u>, <u>HBL2333ST</u>, <u>HBL2343ST</u>, <u>HBL2353ST</u>, <u>HBL2413ST</u>, <u>HBL2413ST</u>, <u>HBL2413ST</u>, <u>HBL2633ST</u>, <u>HBL2633ST</u>, <u>HBL2643ST</u>, <u>HBL2643ST</u>, <u>HBL2653ST</u>, <u>HBL2643ST</u>, <u>HBL2643ST</u>, <u>HBL2653ST</u>, <u>HBL2733ST</u>, <u>HBL2733ST</u>, <u>HBL2743ST</u>, <u>HBL2803ST</u>, <u>HBL2813ST</u>, <u>HBL2833ST</u>, <u>HBL2833ST</u>, <u>HBL3723ST</u>

Flanged Receptacles, Model(s): <u>HBL2316ST</u>, <u>HBL2326ST</u>, <u>HBL2336ST</u>, <u>HBL2346ST</u>, <u>HBL2356ST</u>, <u>HBL2416ST</u>, <u>HBL2426ST</u>, <u>HBL2436ST</u>, <u>HBL2516ST</u>, <u>HBL2526ST</u>, <u>HBL2536ST</u>, <u>HBL2636ST</u>, <u>HBL2636ST</u>, <u>HBL2646ST</u>, <u>HBL2716ST</u>, <u>HBL2726ST</u>, <u>HBL2736ST</u>, <u>HBL2746ST</u>, <u>HBL2806ST</u>, <u>HBL2816ST</u>, <u>HBL2826ST</u>, <u>HBL2836ST</u>, <u>HBL3726ST</u>

Locking blade type attachment plug, Model(s): HBL7102C,7102C, HBL7465V, 7465V, HBL7545,7545C

Locking blade type attachment plug, Model(s): 6365L, CS6365L, 63@@65L, 63@@@65L, 63@@@65L

Locking blade type attachment plug, Model(s): CS8165L, CS81@@65L, CS81@@@65L, CS81@@@@65L

Locking blade type attachment plug, Model(s): CS8265L, CS82@@65L, CS82@@@65L, CS82@@@65L

Locking blade type attachment plug, Model(s): CS8365L, CS83@@65L, CS83@@@65L, CS83@@@65L

Locking blade type Motor Attachment Plug, Model(s): <u>CS81@@75LC, CS81@@@75LC, CS81@@@075LC, CS83@@075LC, CS83@@075LC, CS83@@075LC</u>

Locking blade type Motor Attachment Plug, Model(s): <u>CS6375L, 6375LC, 6375L, 63@@75L,63@@@75L,63@@@075L</u>

Locking blade type Motor Attachment Plug, Model(s): CS8175L, CS8175LC, CS81@@75L, CS81@@@75L, CS81@@@075L

Locking blade type Motor Attachment Plug, Model(s): CS8275L, CS82@@75L, CS82@@@75L, CS82@@@075L

Locking blade type Motor Attachment Plug, Model(s): CS8275LC, CS82@@@75LC, CS82@@@075LC, CS82@@@075LC, CS82@@@075LC, CS82@@075LC,

Locking blade type Motor Attachment Plug, Model(s): CS8375L, CS8375LC, CS83@@075L, CS83@@075L, CS83@@0075L

Locking blade type single attachment plugs with shroud, Model(s): HBL2311SW,HBL2311S, HBL2321SW,HBL2321S, HBL2331SW,HBL2331S, HBL2341SW,HBL2341S, HBL2351SW,HBL2351S, HBL2411SW,HBL2411S, HBL2421SW,HBL2421S, HBL2431SW,HBL2431S, HBL2441SW,HBL2441S, HBL2451SW,HBL2451S, HBL2461SW,HBL2461S, HBL2511SW,HBL2511S, HBL2521SW,HBL2521SW,HBL2521S, HBL2531SW,HBL2531S, HBL2601, HBL2601, HBL2601, HBL2611SW,HBL2611S, HBL2621SW,HBL2621S, HBL2631SW,HBL2631S, HBL2641SW,HBL2641S, HBL2651SW,HBL2651S, HBL2711SW, HBL2721SW, HBL2731SW, HBL2741SW, HBL2751SW, HBL2761SW, HBL2771SW, HBL2801, HBL2801, HBL2811SW, HBL2821SW, HBL2831SW, HBL3331SW, HBL3431SW, HBL7411SW,HBL7411S, HBL9965SW,HBL9965S

Locking blade type single cord connectors, Model(s): <u>HBL7101C,7101C</u>, <u>HBL7506C,7506C</u>

Locking blade type single cord connectors, Model(s): <u>CS6364L, 63@@@64L, 63@@@64L, 63@@@@64L, 63@@@@64L</u>

Locking blade type single cord connectors, Model(s): CS81@@@64L, CS81@@@64L, CS81@@64L, CS81@@64L, CS81@@64L, CS81@@64L, <a href="mailto:CS81@@64L, CS81@@64L, CS81@64L, C

Locking blade type single cord connectors, Model(s): CS82@@64L, CS82@@@64L, CS82@@@664L, CS82@@@664L, CS82@@664L, CS82@@664L, CS82@@664L, CS82@@664L, CS82@@664L, CS82, CS82, CS82, CS82, CS82</a

Locking blade type single cord connectors, Model(s): CS8364LC, CS83@@64L, CS83@@064L, CS83@@0064L

Locking blade type single cord connectors with shroud, Model(s): hbl2333SW, hbl2343SW, hbl2333SW, hbl2333SW<

Locking blade type single motor attachment plugs with shroud, Model(s): 1E48108G03, CS8375SWR, 1E48108G05, HBL2315SW, HBL2325SW, HBL2335SW, HBL2345SW, HBL235SSW, HBL245SSW, HBL265SSW, HBL2515SW, HBL2515SW, HBL252SSW, HBL2605SSW, HBL2605SSW, HBL2605SSW, HBL2605SSW, HBL2715SW, HBL272SSW, 1E48108G02, HBL2735SW, 1E48108G05, HBL2745SW, HBL275SSW, HBL2765SW, HBL275SSW, HBL275SSW, HBL275SSW, HBL280S, HBL280SSW, HBL280SSW,

Locking Cord Connector, Model(s): <u>27W08</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W81</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connector, Model(s): 29W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 29W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 25W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 25W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 25W39 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 25W39 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 25W39 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking Cord Connectors, Model(s): 25W39 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Locking

Motor Attachment Plugs (Flanged Inlets), Model(s): <u>HBL2315ST</u>, <u>HBL2325ST</u>, <u>HBL2335ST</u>, <u>HBL2345ST</u>, <u>HBL2345ST</u>, <u>HBL245SST</u>, <u>HBL2425ST</u>, <u>HBL2425ST</u>, <u>HBL2515ST</u>, <u>HBL2525ST</u>, <u>HBL2535ST</u>, <u>HBL2605ST</u>, <u>HBL2615ST</u>, <u>HBL2625ST</u>, <u>HBL2635ST</u>, <u>HBL2645ST</u>, <u>HBL265SST</u>, <u>HBL2715ST</u>, <u>HBL2725ST</u>, <u>HBL2735ST</u>, <u>HBL2745ST</u>, <u>HBL2805ST</u>, <u>HBL2825ST</u>, <u>HBL2825ST</u>, <u>HBL3725ST</u>

Motor attachment plugs (reverse-service), Model(s): <u>HBL2315SWR</u>, <u>1E48108G15</u>, <u>HBL2325SWR</u>, <u>1E48108G17</u>, <u>HBL2335SWR</u>, <u>HBL2345SWR</u>, <u>HBL2355SWR</u>, <u>HBL2415SWR</u>, <u>HBL2425SWR</u>, <u>HBL2435SWR</u>, <u>1E48108G04</u>, <u>HBL2515SWR</u>, <u>HBL2525SWR</u>, <u>HBL2535SWR</u>, <u>HBL2615SWR</u>, <u>1E48108G08</u>, <u>HBL2625SWR</u>, <u>1E48108G07</u>, <u>HBL2635SWR</u>, <u>HBL2645SWR</u>, <u>HBL2655SWR</u>, <u>HBL2715SWR</u>, <u>HBL2715SWR</u>, <u>HBL2725SWR</u>, <u>HBL2735SWR</u>, <u>HBL2745SWR</u>, <u>HBL2815SWR</u>, <u>HBL2825SWR</u>, <u>HBL2835SWR</u> **Straight Blade Cord Connector,** Model(s): <u>15W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Straight Blade Cord Connector, Model(s): <u>15W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Straight blade-type attachment plugs, Model(s): <u>HBL5565E</u>, <u>HBL5566E</u>, <u>HBL5576E</u>, <u>HBL5585E</u>, <u>HBL8565E</u>, <u>HBL8566E</u>, <u>HBL8566E</u>, <u>HBL8566E</u>, <u>HBL8566E</u>, <u>HBL8566E</u>, <u>HBL8566E</u>, <u>HBL8576E</u>, <u>HBL8566E</u>, <u>HBL8565E</u>, <u>HBL8566E</u>, <u>HBL</u>

Straight blade-type attachment plugs, Model(s): HBL4770C, HBL4770CA, HBL4770CAT, HBL4770CT, HBL47CM70C, HBL4770E

Straight blade-type attachment plugs, Model(s): <u>HBL5266C, HBL5266CA, HBL5266CAT, HBL5266CT, HBL52CM66C, HBL5266E, HBL4720CA, HBL4720CAT, HBL4720CT, HBL47CM20C, HBL4720E</u>

Straight blade-type attachment plugs, Model(s): HBL5366C, HBL5366CA, HBL5366CAT, HBL5366CT, HBL53CM66C, HBL5366E

Straight blade-type attachment plugs, Model(s): HBL5466C, HBL5466CA, HBL5466CAT, HBL5466CT, HBL54CM66C, HBL5466E

Straight blade-type attachment plugs, Model(s): <u>HBL5666C, HBL5666CA, HBL5666CAT, HBL5666CT, HBL56CM66C, HBL5666E, HBL4570CA, HBL4570CAT, HBL457OCT, HBL</u>

Straight blade-type cord connectors, Model(s): <u>HBL515CV</u>, <u>HBL520CV</u>, <u>HBL52CM69V</u>, <u>HBL5369V</u>, <u>HBL53CM69V</u>, <u>HBL53CM69V</u>, <u>HBL53CM69V</u>, <u>HBL8569E</u>, <u>HBL8569E</u>, <u>HBL8579E</u>, <u>HBL8589E</u>, <u>RP102</u>, <u>RP649</u>

Straight blade-type cord connectors, Model(s): HBL4779C, HBL4779CT, HBL47CM79C, HBL4779E

Straight blade-type cord connectors, Model(s): <u>HBL5269C, HBL52CM69C, HBL5269E, HBL8219C, HBL8219CT, HBL4729C, HBL4729CA, HBL4729CAT, HBL4729CT, HBL47CM29C, HBL4729E</u>

Straight blade-type cord connectors, Model(s): <u>HBL5369C, HBL53CM69C, HBL6334C, HBL63CM34C, HBL8319C, HBL8319CT, HBL5369E, HBL6334E</u>

Straight blade-type cord connectors, Model(s): HBL5469C, HBL54CM69C, HBL6394C, HBL63CM94C, HBL6394E

Straight blade-type cord connectors, Model(s): <u>HBL5669C, HBL56CM69C, HBL5669E, HBL4579C, HBL4579CT, HBL45CM79C, HBL4579E</u>

Straight blade-type cord connectors:, Model(s): <u>HBL5567E</u>, <u>HBL5569E</u>, <u>HBL5579E</u>, <u>HBL5589E</u>, <u>HBL5669V</u>, <u>HBL5963V</u>, <u>HBL5963V</u>, <u>HBL5969V</u> <u>Last Updated</u> on 2024-03-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."



Attachment Plugs, Fuseless

COMPANY

HUBBELL INC WIRING DEVICE DIV

40 WATERVIEW DR SHELTON, CT 06484-4300 United States

E1706

View model for additional information

Model(s): <u>HBL4579C@ST</u>, <u>HBL4579CT@ST</u>, <u>HBL45CM79C@ST</u>, <u>HBL4729C@ST</u>, <u>HBL4729CT@ST</u>, <u>HBL4779C@ST</u>, <u>HBL4779CT@ST</u>, <u>HBL47CM29@CST</u>, <u>HBL47CM79C@ST</u>, <u>HBL5269C@ST</u>, <u>HBL5269CBKST</u>, <u>HBL5269CBKSTM1</u>, <u>HBL5269CSTM1</u>, <u>HBL5269CSTM1</u>, <u>HBL5269CT@ST</u>, <u>HBL52CM69C@ST</u>, <u>HBL5369C@ST</u>, <u>HBL5369CBKST</u>, <u>HBL5369CBKSTM1</u>, <u>HBL5369CSTM1</u>, <u>HBL5369CT@ST</u>, <u>HBL5469CT@ST</u>, <u>HBL5469CST</u>, <u>HBL5469CT@ST</u>, <u>HBL5669C@ST</u>, <u>HBL5669CST</u>, <u>HBL5669CT@ST</u>, <u>HBL56CM69C@ST</u>, <u>HBL8219CST</u>, <u>HBL8319CST</u>, HBL8319CTST

Accessory shroud kits, Model(s): HBLSS3, HBLSS45, SK2, SK3

Adapters, Model(s): 2128, 2129, 21CM28, 21CM29, 2270, 2271, 2274, 5273L

Angle cover adapters, Model(s): <u>3WAA</u>, <u>45WAA</u>

Attachment plugs, Model(s): 1433, 1447, 14W33, 14W47, 21CM415B, 23005, 7465N, 9754N, 9754NS, 2311(a1), 2311F, 2311V, 2321(a1), 2321F, 2321V, 2331(a1), 2331F, 2331V, 2341(a1), 2341F, 23CM11, 23CM11V, 23CM21, 23CM21V, 23CM31, 23CM31V 23CM41, 2447, 25415, 25515, 25525, 25615, 25625, 2611V, 2621V, 2631V, 26419, 26519, 26CM21V, 26CM31V, 26W08H +, 26W74H +, <u>26W75H +, 26W76H +, 28W08H +, 28W09H +, 28W74H +, 28W75H +, 28W76H +, 28W77H +, 28W78H +, 3331, 3331NCR, 3331NCY,</u> <u>3331P</u> +, <u>3331P</u> +, <u>3331P</u> +, <u>33CM31C</u>, <u>3431</u>, <u>3431NCR, 3431NSY, 3431P</u> +, <u>3431P</u> +, <u>3431P</u> +, <u>3521, 3521NCR, 3521NXY, 3761N</u>, 3763C, 3765C, 45115, 45215, 45315, 45715, 4573V, 45815, 4723V, 4770, 4770NP, 4770NSY, 4773V, 515HSP +, 515HSP +, 515HSP +, 515HSP +, 515HSP +, 515LP, 515P +, 515P +, 515P +, 515SP +, 515SP +, 515SP +, 515SP +, 515SP +, 515SPAZ +, 515SPAZ +, 515SPAZ +, 515SPAZ +, 520HSP +, 520HSP +, 520HSP +, 520HSP +, 520HSP +, 520SP +, 520SP +, 520SP +, 520SP +, 520SP +, 520SP +, 520SPAZ +, 520SPAZ +, 52CM66C, 5364B, 5364V, 5366N, 5395, 5395T, 5395TSLV, 53CM66C, 53CM66V, 5464B, 5466N, 5475N, 5475NT, 5475NTSLV, <u>54CM66C, 5666B, 5666N, 56CM66C, 5867V@, 5965B, 5966V, 5966-V, 5967-V, 615SP +, 615SP +, 615SP +, 615SP +, 615SP +, 615SP +, 620HSC</u> +, 620HSC +, 620HSC +, 620HSC +, 620HSC +, 620HSP +, 620 <u>620SP +, 620SP +, 620SPAZ +, 620SPAZ +, 620SPAZ +, 63@@@@65L, 63@@@65L, 63@@65L, 6365L, 63CM61, 63CM61C, 70520NP,</u> 70530NP, 70615NP, 70620NP, 70630NP, 70720NP, 70730NP, 70820NP, 70830NP, 70920NP, 70930NP, 71020NP, 71030NP, 71120NP, <u>71130NP, 71220NP, 71230NP, 71330NP, 71420NP, 71520NP, 71530NP, 71620NP, 71630NP, 71820NP, 71830NP, 71920NP, 71930NP, 71950NP, 71</u> 72020NP, 72030NP, 72120NP, 72130NP, 72220NP, 72230NP, 72320NP, 72330NP, 7251-C, 7485NP, 7594NP, 7765C, 7977, 8115BW, <u>8115V, 8266N, 8266T, 8266TSP, 8364BW, 8366N, 8366T, 8366TSP, 8411-C, 8421-C, 8466N, 8466TSP, 8666N, 8666TSP, 9309, 9319, </u> <u>9331, 9333, 9361, 9368, 9379, 9965, 9965NCR, 9965NSY, 99CM65C, CS63@@@@65L, CS63@@@65L, CS63@@665L, CS636</u> <u>CS6365C, CS6365L, CS81@@@@65L, CS81@@@65L, CS81@@65L, CS8155C, CS8165C, CS8165L, CS82@@@@65L, CS82@@@@65L, CS82@@@</u> <u>CS82@@65L, CS8265C, CS8265L, CS83@@@@65L, CS83@@@65L, CS83@@65L, CS8365C, CS8365CA05, CS8365CA10, CS8365CA34,</u> CS8365L, CS8465C, FSL1NP "fs" = Federal Specification, FSL1P +, FSL2NP "fs" = Federal Specification, FSL2P +, FSL3NP "fs" = Federal Specification, FSL3P +, FSL4NP "fs" = Federal Specification, FSL4P +, HBL 305CRP +, HBL20445B, HBL21415B, HBL21CM415B HBL2311S(2)(fs), HBL2311SA(2)(fs), HBL2311SW(1), HBL2321S(2)(fs), HBL2321SA(2)(fs), HBL2321SW(1), HBL2321V, HBL2331S(2)(fs), HBL2331SA(2),(fs), HBL2331SW(1), HBL2331V, HBL2341S(2),(fs), HBL2341SA(2),(fs), HBL2341SW(1), HBL2351(a1),(fs), HBL2351S(2),(fs), HBL2351SA(2)(fs), HBL2351SW(1), HBL23CM11V, HBL23CM51, HBL2411(a1)(fs)@, HBL2411S(2)(fs)@, HBL2411SA(2)(fs), HBL2411SW(1), HBL2421(a1)(fs), HBL2421S(2)(fs)@, HBL2421SA(2), HBL2421SW(1), HBL2431(a1)(fs)@, HBL2431S(2)(fs)@, HBL2431SA(2)(fs), HBL2431SW(1), HBL2441(a1)(fs), HBL2441S(2)(fs), HBL2441SA(2)(fs), HBL2441SW(1), HBL2451(a1)(fs), HBL2451S(2)(fs), HBL2451SA(2)

(fs), HBL2451SW(1), HBL2461(a1)(fs), HBL2461S(2)(fs), HBL2461SA(2)(fs), HBL2461SW(1), HBL24CM11@, HBL24CM21@, HBL24CM31@, HBL24CM41, HBL24CM51, HBL25CM61, HBL2511(a1)(fs)@, HBL2511S(2)(fs)@, HBL2511SA(2)(fs), HBL2511SW(1), HBL2521(a1)(fs)@, HBL2521S(2)(fs)@, HBL2521SA(2)(fs), HBL2521SW(1), HBL2531(a1)(fs)@, HBL2531S(2)(fs)@, HBL2531SA(2)(fs), HBL2531SW(1), HBL25CM11@, HBL25CM21@, HBL25CM31@, HBL2601, HBL2601E, HBL2611(a1)(fs), HBL2611S(2)(fs), HBL2611SA(2)(fs), HBL2611SW(1), HBL2611V, HBL2621(a1)(fs), HBL2621S(2)(fs), HBL2621SA(2)(fs)@, HBL2621SW(1), HBL2621V, HBL2631(a1)(fs), HBL2631S(2)(fs), HBL2631SA(2)(fs), HBL2631SW(1), HBL2631SW(1), HBL2641(a1)(fs), HBL2641S(2)(fs), HBL2641SA(2)(fs), HBL2641SW(1), HBL2651(a1)(fs), HBL2651S(2)(fs), HBL2651SA(2)(fs)@, HBL2651SW(1), HBL26CM01, HBL26CM11, HBL26CM11V, HBL26CM21, HBL26CM31, HBL26CM41, HBL26CM51, HBL2711(a1)(fs)@, HBL2711S(2)(fs)@, HBL2711SA(2)(fs), HBL2711SW(1), HBL2721(a1)(fs)@, HBL2721S(2)(fs)@, HBL2721SA(2)(fs), HBL2721SW(1), HBL2731(a1)(fs)@, HBL2731S(2)(fs)@, HBL2731SA(2)(fs)@, HBL2731SA(2)(fs)@, HBL2731SW(1), HBL2741(a1)(fs)@, HBL2741S(2)(fs)@, HBL2741SA(2)(fs), HBL2741SW(1), HBL2751(a1)(fs), HBL2751S(2)(fs), HBL2751SA(2)(fs), HBL2751SW(1), HBL2761(a1)(fs), HBL2761S(2)(fs), HBL2761SA(2)(fs), HBL2761SW(1), HBL2771(a1)(fs), HBL2771S(2)(fs), HBL2771SA(2) (fs), HBL2771SW(1), HBL27CM11@, HBL27CM21@, HBL27CM31@, HBL27CM41@, HBL27CM51, HBL27CM61, HBL27CM71, HBL2801, HBL2811(a1)(fs)@, HBL2811S(2)(fs)@, HBL2811SA(2)(fs), HBL2811SW(1), HBL2821(a1)(fs)@, HBL2821S(2)(fs)@, HBL2821SA(2)(fs), HBL2821SW(1), HBL2831(a1)(fs)@, HBL2831S(2)(fs)@, HBL2831SA(2)(fs), HBL2831SW(1), HBL28CM01, HBL28CM11@, HBL28CM21@, HBL28CM31@, HBL303NM, HBL303NMBL, HBL303SS, HBL303SSBL, HBL328DCP+, HBL3331C, HBL3331H2, HBL3331S(2)(fs), HBL3331SA(2)(fs), HBL3331SW(1), HBL33CM31, HBL3431C, HBL3431S(2)(fs), HBL3431SA(2)(fs), HBL3431SW(1), HBL3521C, HBL3721, HBL4570C@, HBL4570CA@, HBL4570CAT@, HBL4570CT@, HBL4570E, HBL4573V, HBL45CM70C@, HBL4720C@, HBL4720CA@, HBL4720CAT@, HBL4720CT@, HBL4720E, HBL4723V, HBL4770C@, HBL4770CA@, HBL4770CAT@, HBL4770CT@, HBL4770E, HBL4773V, HBL47CM20C@, HBL47CM70C@, HBL503NM, HBL503RI, HBL503SS, HBL503WL, HBL504NM, HBL504RI, HBL504SS, HBL504WL, HBL515PV, HBL520PV, HBL5266C, HBL5266CA, HBL5266CAT@, HBL5266CT@, HBL5266E, HBL52CM66C@, HBL52CM66V@, HBL5364V, HBL5366C, HBL5366CA, HBL5366CAT, HBL5366CT, HBL5366E, HBL53CM66C, HBL53CM66V, HBL5464V, HBL5466C, HBL5466CA, HBL5466CAT, HBL5466CT, HBL5466E, HBL54CM66C, HBL5666CQ, HBL5666CAQ, HBL5666CATQ, HBL5666CATQ, HBL5666E, HBL5666V@, HBL56CM66C@, HBL5865V, HBL5866V, HBL5867V@, HBL5965V@, HBL615PV, HBL620PV, HBL630NM, HBL7302C(fs), HBL7303C(fs), HBL7411S(2), HBL7411SA(2), HBL7411SW(1), HBL7465V, HBL7485V(1), HBL7545C, HBL7594V, HBL8431C(fs), HBL8432C(fs), HBL8451C, HBL8452C, HBL8461C, HBL8462C, HBL9337C, HBL9431C(fs), HBL9432C(fs), HBL9451C(fs), HBL9452C(fs), HBL9461C(fs), HBL9462C(fs), HBL9758V, HBL9965S(2)(fs), HBL9965SA(2)(fs), HBL9965SW(1), HBL1420P +, HBL1430P +, HBLL1520P +, HBLL1530P +, HBLL1620P +, HBLL1630P +, HBLL515P +, HBLL520P +, HBLL530P +, HBLL530P +, HBLL620P +, HBLL620P +, HBLL630P +, HBLL715P +, HBLL720P +, HBLL730P +, L1020P +, L1030P +, L1120P +, L1130P +, L1220P +, L1230P +, L1320P <u>+, L1430P +, L1520P +, L1530P +, L1620P +, L1630P +, L1730P +, L1820P +, L1830P +, L1920P +, L1930P +, L2020P +, L2030P +, L2</u> L2120P +, L2130P +, L2220P +, L2230P +, L2320P +, L2320P +, L2330P +, L515SP +, L520P +, L530P +, L615SP +, L620P +, L630P +, L715SP +, L720P +, L730P +, L820P +, L830P +, L920P +, L930P +, RR335, RR435, SD12781

Attachment plugs, Model(s): <u>14W07H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>14W07H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 14W33A may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>14W33H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>14W33H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 14W47A may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 14W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>14W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>14W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 14W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>14W48H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>14W48H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 14W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>14W49H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): 24W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>24W34H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>24W34H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 24W47A may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 24W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>24W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>24W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 24W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>24W49H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>24W49H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 26W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>26W08H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): 26W09 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 26W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 26W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>26W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>26W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 26W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>26W48H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>26W48H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>26W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color **Attachment plugs,** Model(s): <u>26W49H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>26W49H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>26W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color **Attachment plugs**, Model(s): <u>26W74H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): 26W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W75BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W75H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): 26W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W76H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): 26W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 26W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): 28W08H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color **Attachment plugs,** Model(s): <u>28W09H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>28W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>28W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 28W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>28W48H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W48H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 28W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>28W49H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W49H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): 28W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>28W74H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): <u>28W75H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>28W76BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>28W76H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W77</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color **Attachment plugs,** Model(s): <u>28W77H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): <u>28W78</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color **Attachment plugs,** Model(s): <u>28W78H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Attachment plugs, Model(s): 28W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 28W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 28W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 28W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): 4721N, 4721NCR, 4721NP, 4721NXY, 4722N, 4722NT, 4722NTSLV, 4726, 5159, 5266N, 5295, 5295T

Attachment plugs, Model(s): BRY14W33 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): BRY14W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): BRY14W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): BRY14W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): BRY14W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Attachment plugs, Model(s): BRY24W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY24W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY24W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W08</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W75BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W76BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY26W81</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY26W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): <u>BRY28W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY28W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Attachment plugs, Model(s): BRY5266NP, BRY5366NP%fs, BRY5266NP, BRY5666NP%fs, 5266NZ%fs, 5366NZ%fs, 5466NZ%fs, $\underline{5666NZ\%f_S}$ With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" =

Attachment plugs, Model(s): <u>BRY8266NP%fs, BRY8366NP%fs, BRY8466NP%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Attachment plugs, Model(s): <u>FSL1P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>FSL1P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>FSL2P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>FSL2P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>FSL3P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>FSL3P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>FSL4P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>FSL4P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBL 305CRP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBL 305CRP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBL328DCP+</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1420P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1420P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>HBLL1430P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1430P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1520P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1520P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>HBLL1530P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1530P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1630P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL1630P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>HBLL520P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL520P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL530P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL530P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>HBLL615P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL615P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL630P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL630P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL715P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL715P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL720P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL720P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL730P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>HBLL730P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1020P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1020P + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1030P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1030P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1120P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1120P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1130P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1130P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1220P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1220P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1230P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1230P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1330P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1330P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1420P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1420P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1430P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1430P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1520P + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1520P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1530P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1530P + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1620P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1630P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1630P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1820P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1820P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1830P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1830P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1920P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1920P + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1930P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L1930P + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2020P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2020P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2030P + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2030P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2120P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2120P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2130P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2130P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2220P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2220P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2230P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2230P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2320P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2320P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2330P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L2330P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L520P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L520P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L530P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>L530P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L615SP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L615SP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L620P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L630P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>L630P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>L715SP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L715SP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L720P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L720P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L730P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L730P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L820P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L820P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L830P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L830P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L920P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L920P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs, Model(s): <u>L930P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment plugs, Model(s): <u>L930P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): 63CM65, 63CM65C

Attachment Plugs, Model(s): <u>14W49H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>HBLL515P + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Attachment Plugs, Model(s): <u>HBLL515P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>L1320P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>L1320P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>L1730P +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>L1730P + </u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>L515SP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment Plugs, Model(s): <u>L515SP +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Attachment plugs hospital grade, Model(s): 8013-V, 8115V(fs), 8215CAT, 8315CAT, 8364V(fs), 8464V(fs), 8666V(fs), HBL8115V(fs)@, HBL8215C(fs)@, HBL8215C(fs)@, HBL8315CAT, HBL8315CAT, HBL8315CAT, HBL8364V, HBL8364V(fs), HBL8364V(fs), HBL8366V(fs), HBL836V(fs), HBL8366V(fs), HBL8366V(fs), HBL8366V(fs), HBL8366V(fs), HBL8366V(fs), HBL8366V(fs), HBL836V(fs), HBL836V(fs

Attachment Plugs Locking Type, Model(s): HBL2311ST, HBL2321ST, HBL2331ST, HBL2341ST, HBL2351ST, HBL2351ST, HBL2411ST, HBL2421ST, HBL2431ST, HBL2511ST, HBL2521ST, HBL2531ST, HBL2531ST, HBL2651ST, HBL2631ST, HBL2641ST, HBL2651ST, HBL2711ST, HBL2711ST, HBL2731ST, HBL2741ST, HBL2801ST, HBL2811ST, HBL2821ST, HBL2831ST, HBL3721ST, HBL4570C@ST, HBL4570CT@ST, HBL45CM70C@ST, HBL4720CCT@ST, HBL4720CT@ST, HBL4770C@ST, HBL4770CT@ST, HBL47CM20@CST, HBL47CM70C@ST, HBL5266CC@ST, HBL5266CC@ST, HBL5266CC@ST, HBL5366CC@ST, HBL5366CC@ST, HBL5366CC@ST, HBL5366CC@ST, HBL5366CC@ST, HBL536CCT@ST, HBL5315CST, HBL8315CST, HBL8315CST

Cord Connector, Model(s): H320C

Cord Connector, Model(s): <u>7464V</u> may be prefixed with the letters "HBL" and may be provided with or without Suffixes -V, -BLK, -BL, -GY, -WHI, -R, -O, -BN or -GN

Cord connector bodies, Model(s): 1533BRY, 1547BRY, 2547BRY

Cord Connector Bodies, Model(s): <u>L2020C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L2020C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L2130C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L2130C + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L2220C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L2220C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L820C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connector Bodies, Model(s): <u>L820C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 1533, 1547, 15W33, 15W47, 20444B, 21414B, 21CM414B, 23001HGB, 23032B, 2313(a1), 2313F, 2313V, 2323(a1), 2323F, 2323V, 2333F, 2333V, 2343(a1), 2343F, 23CM13V, 23CM23, 23CM23V, 23CM33V, 23CM3XV, 23CM3XV,

27W08H +, 27W09H +, 27W74H +, 27W75H +, 27W76H +, 27W81H +, 29W08H +, 29W09H +, 29W74H +, 29W75H +, 29W76H +, <u> 29W77H +, 29W78H +, 3333, 3333C +, 3333C +, 3333H2, 3333NCR, 3333NSY, 3433, 3433C +, 3433C +, 3433NCR, 3433NSY, 3762C, </u> <u>3764C, 45135, 45235, 45335, 4579V, 45835, 45935, 4729V, 4732N, 4732NC, 4732NCR, 4732NSY, 4779NC, 4779V, 515HSC +, 5</u> 515LC, 515SC +, 515SC +, 520HSC +, 520HSC +, 520LC, 520SC +, 520SC +, 5269CT, 5269N, 5369B, 5369N, 5469B, 5469N, 5669BL, 5669CT, 5669N, 5869V, 5969B, 615SC +, 615SC +, 620HSC +, 620HSC +, 620SC +, 620SC +, 63@@@@64L, 63@@@64L, 6334CT, 6334F, 6364L, 6394C, 6394CT, 6394F, 6394V, 63CM60, 63CM60C, 63CM64, 63CM64C, 70520NC, 70530NC, 70615NC, <u>70620NC, 70630NC, 70720NC, 70730NC, 70830NC, 70920NC, 70930NC, 7101C, 71020NC, 71030NC, 71120NC, 71130NC, 71220NC, 70920NC, 7092</u> 71230NC, 71330NC, 71420NC, 71430NC, 71520NC, 71530NC, 71620NC, 71630NC, 71730NC, 71820NC, 71830NC, 71920NC, 71930NC, 72030NC, 72120NC, 72230NC, 72320NC, 72330NC, 7314, 7314C(a1), 7314CF(a1), 7314NCR, 7314NSY, 73CM14C, 7413C, 7433, 7464N, <u>7484, 7484NC, 7484V, 7506C, 7515, 7515C, 7571, 7593, 7593V, 7764C, 8119BW, 8269N, 8269T, 8269TSC, 8369BW, 8369N, 8369TSC, 7484, 7484NC, 7484V, 7506C, 7515, 7515C, 7571, 7593, 7593V, 7764C, 8119BW, 8269N, 8269TSC, 8369BW, 8369N, 8369TSC, 7515, 7515C, 751</u> 8469N, 8469TSC, CS63@@@@64L, CS63@@@64L, CS63@@64L, CS6360C, CS6364C, CS6364L, CS81@@@@64L, CS81@@@64L, CS81@@64L, CS8156C, CS8164C, CS8164L, CS82@@@@64L, CS82@@@@64L, CS82@@@64L, CS8264C, CS8264L, CS83@@@@64L, CS83@@@64L, CS83@@64L, CS8364C, CS8364CA05, CS8364CA10, CS8364CA34, CS8364L, CS8464C, FSL1NC "fs" = Federal Specification, FSL2NC "fs" = Federal Specification, FSL3NC "fs" = Federal Specification, FSL4NC "fs" = Federal Specification, HBL20444B, HBL21414B, HBL21CM414B, HBL2313SW(1), HBL2313V, HBL2323SW(1), HBL2323V, HBL2333SW(1), HBL233SW(1), H HBL2343SW(1), HBL2353(a1)(fs), HBL2353SW(1), HBL23CM13V, HBL23CM53, HBL2413(a1)(fs)@, HBL2413SW(1), HBL2423(a1)(fs)@, HBL2423SW(1), HBL2433(a1)(fs)@, HBL2433SW(1), HBL2443(a1)(fs), HBL2443SW(1), HBL2453(a1)(fs), HBL2453(a1)(fs), HBL2463SW(1), HBL24CM13@, HBL24CM23@, HBL24CM33@, HBL24CM43, HBL24CM53, HBL24CM63, HBL2513(a1)(fs)@, HBL2513SW(1), HBL2523(a1)(fs)@, HBL2523SW(1), HBL2533(a1)(fs)@, HBL2533SW(1), HBL25CM13@, HBL25CM23@, HBL25CM33@, HBL2603, HBL2613(a1)(fs), HBL2613SW(1), HBL2613V, HBL2623(a1)(fs), HBL2623SW(1), HBL2623V, HBL2633(a1)(fs), HBL2633SW(1), HBL2633V, HBL2643(a1)(fs), HBL2643SW(1), HBL2653(a1)(fs), HBL2653SW(1), HBL26CM13, HBL26CM13V, HBL26CM23, HBL26CM33, HBL26CM43, HBL26CM53, HBL2713(a1)(fs)@, HBL2713SW(1), HBL2723(a1)(fs), HBL2723SW(1), HBL2733(a1)(fs), HBL2733SW(1), HBL2743(a1)(fs)@, HBL2743SW(1), HBL2753(a1)(fs), HBL2753SW(1), HBL2763(a1)(fs), HBL2763SW(1), HBL2773(a1)(fs), HBL2773SW(1), HBL27CM13@, HBL27CM23@, HBL27CM33@, HBL27CM43@, HBL2813(a1)(fs)@, HBL2813SW(1), HBL2823(a1)(fs)@, HBL2823SW(1), HBL2833(a1)(fs)@, HBL2833SW(1), HBL28CM13@, HBL28CM23@, HBL28CM33@, HBL305CRC, HBL3333C, HBL3333SW(1), HBL33CM33C, HBL3433C, HBL3433SW(1), HBL3523C, HBL4579C@, HBL4579CT@, HBL4579E, HBL45CM79C@, HBL4729C@, HBL4729CA@, HBL4729CAT@, HBL4729CT@, HBL4729E, HBL4779C@, HBL4779CT@, HBL4779E, HBL47CM29C@, HBL47CM79C@, HBL515CV@, HBL5269C@, HBL5269E, HBL52CM69C@, HBL52CM69V@, HBL5324, HBL5369C, HBL5369E, HBL53CM69C, HBL5469C, HBL5469E, HBL54CM69C, HBL5669C@, HBL5669E, HBL5669V@, HBL56CM69C@, HBL5869V, HBL5969V@, HBL615CV@, HBL6334C, HBL6334E, HBL6394C, HBL6394E, HBL63CM34C, HBL63CM94C, HBL7101C, HBL7313SW(1), HBL7413SW(1), HBL7484V, HBL7506C, HBL7593V, RP102

25W47, 2613V, 2623V, 2633V, 26418, 26516, 26CM13V, 26CM23V, 26CM33V, 26W09H +, 26W81H +, 27CM53, 27CM63, 27CM73,

Cord connectors, Model(s): 15W07H + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 15W33H + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>15W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 15W48H + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 15W49H + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>25W34H + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>25W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>2614-CW</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>27W47H + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Cord connectors, Model(s): <u>27W48H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>27W49H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>29W47H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>29W48H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 515SC + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>520SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 615SC + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): 620SC + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): BRY15W33 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY15W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY25W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): BRY25W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W08</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W75BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): <u>BRY27W76BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Cord connectors, Model(s): BRY27W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): <u>BRY27W81BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY27W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY27W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W08 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W09 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W47BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): <u>BRY29W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W76 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W76BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W81BK may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY29W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): <u>BRY29W83</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color Cord connectors, Model(s): BRY5269NC%fs With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>BRY5369NC%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>BRY5469NC%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>BRY5669N%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>BRY8269NC%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>BRY8369NC%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>BRY8469NC%fs</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons. "fs" = Federal Specification

Cord connectors, Model(s): <u>FSL1C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>FSL1C + +</u> With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>HBL328DCC+</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1120C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1120C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1130C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1130C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1220C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1220C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1230C + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Cord connectors, Model(s): <u>L1230C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1330C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1330C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1920C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1920C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1930C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L1930C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Model(s): <u>L2030C + + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations</u>

Cord connectors, Model(s): <u>L2030C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connectors, Model(s): 2614-CW, HBL2603E, HBL2803, HBL28CM03, RP649

Cord Connectors, Model(s): 15W07H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): 15W33H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): 15W47H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>15W48H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): 15W49H + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>25W34H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>25W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>25W49H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>25W49H +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connectors, Model(s): <u>26W09H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>26W81H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W08H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W09H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W48H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W49H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W74H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W75H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W76H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>27W81H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W08H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W09H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W47H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W48H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W75H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W76H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W77H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>29W78H +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>3333C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>3433C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>515C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>515HSC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>515SC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>520HSC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>520SC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): 615SC + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): 620SC + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>FSL1C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>FSL2C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>FSL3C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>FSL4C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBL 205CRC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBL328DCC+</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL1420C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL1430C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL1520C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL1530C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL1620C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL1630C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL305CRC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL515C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL520C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL530C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL615C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL615C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connectors, Model(s): <u>HBLL615C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connectors, Model(s): <u>HBLL620C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL630C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL715C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL720C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>HBLL730C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1020C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1030C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1120C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1130C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1220C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1230C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1330C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1420C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1430C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1520C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1530C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1620C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1630C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1730C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1820C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1830C</u> + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1920C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L1930C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2020C</u> + With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2030C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2120C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2130C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2220C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2230C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2320C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L2330C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L515SC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L520C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L530C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L615SC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L615SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connectors, Model(s): <u>L615SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord Connectors, Model(s): <u>L620C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L630C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L715SC +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L720C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L730C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L820C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L830C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L920C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord Connectors, Model(s): <u>L930C +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Cord connectors (reverse-service), Model(s): 1E95409G01, 1E95409G03, 1E95409G04, 1E95409G05, 1E95409G06, 1E95409G0X, HBL2313SR, HBL2323SR, HBL2333SR, HBL2343SR, HBL2353SR, HBL2413SR, HBL2423SR, HBL243SR, HBL253SR, HBL263SR, HBL263SR, HBL263SR, HBL263SR, HBL263SR, HBL2653SR, HBL2713SR, HBL2723SR, HBL2733SR, HBL273SR, HBL273SR, HBL273SR, HBL273SR, HBL273SR, HBL273SR, HBL273SR, HBL283SR, HBL283SR, HBL3333SR, HBL3433SR, HBL7413SR, HBL7413S

Cord connectors hospital grade, Model(s): <u>HBL8319C</u>, <u>HBL8319CT</u>

Cord connectors hospital grade, Model(s): <u>HBL8119V(fs)@</u> "fs" = Federal Specification

Cord connectors hospital grade, Model(s): <u>HBL8219C(fs)@</u> "fs" = Federal Specification

Cord connectors hospital grade, Model(s): <u>HBL8219CT(fs)@</u> "fs" = Federal Specification

Cord connectors hospital grade, Model(s): <u>HBL8567E (FS)</u> "fs" = Federal Specification

Cord connectors hospital grade, Model(s): <u>HBL8569E (FS)</u> "fs" = Federal Specification

Cord connectors hospital grade, Model(s): <u>HBL8579E (FS)</u> "fs" = Federal Specification

Cord connectors hospital grade, Model(s): <u>HBL8589E (FS)</u> "fs" = Federal Specification

Cord Connectors Locking Type, Model(s): <u>HBL2313ST</u>, <u>HBL2323ST</u>, <u>HBL2333ST</u>, <u>HBL2343ST</u>, <u>HBL2353ST</u>, <u>HBL2413ST</u>, <u>HBL2413ST</u>, <u>HBL2613ST</u>, <u>HBL2633ST</u>, <u>HBL2633ST</u>, <u>HBL2643ST</u>, <u>HBL263SST</u>, <u>HBL2643ST</u>, <u>HBL2653ST</u>, <u>HBL2653ST</u>, <u>HBL2713ST</u>, <u>HBL2733ST</u>, <u>HBL2733ST</u>, <u>HBL2733ST</u>, <u>HBL2803ST</u>, <u>HBL2813ST</u>, <u>HBL283SST</u>, <u>HBL2833ST</u>, <u>HBL3723ST</u>

Cord connectors, grounding type, Model(s): 515C +, 515C +

Cord connectors, grounding type, Model(s): <u>FSL2C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>FSL2C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>FSL3C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>FSL3C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>FSL4C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>FSL4C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBL2715M3 +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1420C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1420C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1430C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1430C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL1630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL305CRC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL305CRC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL515C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): $\underline{HBLL515C +}$ + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): $\underline{HBLL530C +}$ + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL715C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL715C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL720C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL720C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL730C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>HBLL730C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1020C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1020C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1030C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1030C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1420C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1420C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1430C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): $\underline{\text{L}1430C} + \text{With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations$

Cord connectors, grounding type, Model(s): <u>L1520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1730C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1730C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1820C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1820C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1830C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L1830C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2120C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2120C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2230C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2230C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2320C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2320C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2330C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L2330C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L515SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L515SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L530C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L630C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L715SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L715SC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L720C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L720C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L730C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L730C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L830C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L830C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L920C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L920C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L930C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, grounding type, Model(s): <u>L930C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, hospital grade, Model(s): <u>620HSC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>HBL 205CRC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>HBL 205CRC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>HBLL520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>HBLL520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>HBLL620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>HBLL620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>L520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>L520C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>L620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grade, Model(s): <u>L620C +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grades, Model(s): <u>515HSC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Cord connectors, Hospital grades, Model(s): <u>520HSC +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Flanged Receptacles, Model(s): HBL2316ST, HBL2326ST, HBL2336ST, HBL2346ST, HBL2356ST, HBL2366ST, HBL2416ST, HBL2416ST, HBL2426ST, HBL2436ST, HBL2446ST, HBL2456ST, HBL2456ST, HBL2516ST, HBL2526ST, HBL2536ST, HBL2606ST, HBL2616ST, HBL2626ST, HBL2636ST, HBL2636ST, HBL2646ST, HBL2656ST, HBL2766ST, HBL2766ST, HBL2776ST, HBL2746ST, HBL2756ST, HBL2766ST, HBL2766ST, HBL276ST, HBL2836ST, HBL2836ST, HBL2836ST, HBL2836ST, HBL2836ST, HBL2836ST, HBL2836ST, HBL3726ST

Locking Attachment Plug, Model(s): <u>HBL2361ST</u>, <u>HBL2441ST</u>, <u>HBL2451ST</u>, <u>HBL2461ST</u>, <u>HBL2661ST</u>, <u>HBL2751ST</u>, <u>HBL2761ST</u>, <u>HBL2771ST</u>

Locking Attachment Plugs, Model(s): <u>24W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Attachment Plugs, Model(s): <u>BRY24W47A</u> may contain the prefix HBL for commercial purposes. BK indicates black overmold color

Locking blade type single cord connectors with shroud, Model(s): HBL26CM03, HBL3723

Locking blade type single motor attachment plugs with shroud, Model(s): 1E48108G05, HBL3725, HBL6375S

Locking Cord Connector, Model(s): <u>27W08</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W47</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W74</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W75</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W75BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W76BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W81</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W81BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W82</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>27W83</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>29W08</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color **Locking Cord Connector,** Model(s): <u>29W09</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W47 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>29W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W48 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W49 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W74 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W75 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>29W76</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>29W76BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W77 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W78 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W81 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): <u>29W81BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W82 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connector, Model(s): 29W83 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connectors, Model(s): <u>HBL2363ST</u>, <u>HBL2443ST</u>, <u>HBL2453ST</u>, <u>HBL2463ST</u>, <u>HBL2663ST</u>, <u>HBL2753ST</u>, <u>HBL2763ST</u>, <u>HBL2773ST</u>

Locking Cord Connectors, Model(s): 25W34 may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connectors, Model(s): <u>25W47A</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connectors, Model(s): <u>25W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connectors, Model(s): <u>25W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Locking Cord Connectors, Model(s): <u>BRY25W47A</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Motor attachment caps, Model(s): 1E48108G03, 1E48108G06, 20418, 21447, 22428, 22CM428, 2315, 2315F, 2325F, 2325F, 2335F, 2335F, 2345, 2345F, 26422, 26522, 3325C, 3325CF, 3335CF, 3335CF, 3335H2, 3767, 3768, 3768C, 3775, 3777, 4586, 4586C, 45985CL, 4716, 4716C, 4786, 4786C, 47CM16, 5240, 5278C, 5378C, 5478C, 5678C, 61CM64, 63@@@@@75L, 63@@@@75LC(3), 63@@@@75L <u>63@@75L, 63@@75LC(3),63@@@75LC(3),</u> 6375L, 6375LC, <u>7408C, 7466, 7467, 7486, 7486N, 7524C, 7551, 7595, 7595N, 7958, 7968, </u> CS63@@@@75L, CS63@@@@75LC(3), CS63@@@75L, CS63@@@75LC(3), CS63@@075L, CS63@@75LC(3), CS6375, CS6375L CS6375LC, CS6377, CS81@@@@75L, CS81@@@@75LC(3), CS81@@@75L, CS81@@@75LC(3), CS81@@@75LC(3), CS8175, CS8175L, CS8175LC(3), CS82@@@@75L, CS82@@@@75LC, CS82@@@@75L, CS82@@@75LC, CS82@@75LC, CS82@@75LC, CS8275, CS8275L, CS8275LC, CS83@@@@75L, CS83@@@@75LC(3), CS83@@@@75L, CS83@@@75LC(3), CS83@@@75LC CS83@@75LC(3), CS8375, CS8375L, CS8375LC(3), CS8375M3, CS8375SWR, CS8475, GC16484, HBL20418, HBL21447, HBL22428, HBL22CM428, HBL2315SW(1), HBL2325SW(1), HBL2335SW(1), HBL2345SW(1), HBL2355(fs) "fs" = Federal Specification, HBL2355SW(1), HBL23CM55, HBL2415(fs) "fs" = Federal Specification, HBL2415SW(1), HBL2425(fs) "fs" = Federal Specification, HBL2425SW(1), HBL2435(fs), "fs" = Federal Specification, HBL2435SW(1), HBL2445(fs), "fs" = Federal Specification, HBL2445SW(1), HBL2455(fs), "fs" = Federal Specification, HBL2455SW(1), HBL2465(fs) "fs" = Federal Specification, HBL2465SW(1), HBL24CM15, HBL24CM25, HBL24CM35, HBL24CM45, HBL24CM55, HBL25Cf(fs) "fs" = Federal Specification, HBL2515SW(1), HBL2525(fs) "fs" = Federal Specification, HBL2525SW(1), HBL2535(fs) "fs" = Federal Specification, HBL2535SW(1), HBL25CM15, HBL25CM25, HBL25CM35, HBL2605, HBL2615(fs) "fs" = Federal Specification, HBL2615SW(1), HBL2625(fs) "fs" = Federal Specification, HBL2625SW(1), HBL2635(fs) "fs" = Federal Specification, HBL2635SW(1), HBL2645(fs) "fs" = Federal Specification, HBL2645SW(1), HBL2655(fs) "fs" = Federal Specification, HBL2655SW(1), HBL26CM05, HBL26CM15, HBL26CM25, HBL26CM35, HBL26CM45, HBL26CM55, HBL2715(fs) "fs" = Federal Specification, <u>HBL2715SW(1)</u>, <u>HBL2725(fs)</u> "fs" = Federal Specification, <u>HBL2725SW(1)</u>, <u>HBL2735(fs)</u> "fs" = Federal Specification, HBL2735SW(1), HBL2745(fs) "fs" = Federal Specification, HBL2745SW(1), HBL2755(fs) "fs" = Federal Specification, HBL2755SW(1), HBL2765(fs) "fs" = Federal Specification, HBL2765SW(1), HBL2775(fs) "fs" = Federal Specification, HBL2775SW(1), HBL27CM15, HBL27CM25, HBL27CM35, HBL27CM45, HBL27CM55, HBL27CM65, HBL2805, HBL2815(fs) "fs" = Federal Specification, HBL2815SW(1), HBL2825(fs) "fs" = Federal Specification, HBL2825SW(1), HBL2835(fs) "fs" = Federal Specification, HBL2835SW(1), HBL28CM05, HBL28CM15, HBL28CM25, HBL28CM35, HBL3325SW(1), HBL3334C, HBL3334SW(1), HBL3434SW(1), HBL5278C, HBL5378C, HBL5478C, HBL5678C, HBL7408SW(1), HBL7524C, HBL8815C

Motor attachment caps, Model(s): <u>16645L1%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>16646L1%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): 60CM61% With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>60CM67%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>63CM72%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>63CM74%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>NM240X%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>NM303%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>NM303OEM%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>NM503%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>NM503OEM%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS240X%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS303%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS303OEM%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS503%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS503HY%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS503OEM%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS504%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS504HY%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment caps, Model(s): <u>SS504OEM%</u> With or without up to five suffix letters AAAAA-ZZZZZ to denote color and/or packaging or commercial reasons.

Motor attachment plugs, Model(s): 3434, 3775N, 4716MB, 4786MB, 5278, 5278G, 5378G, 5378G, 5678, 5678G, 6374CR, 70520MB, 70520MPI, 70530MB, 70530MPI, 70530MPO, 70615MB, 70620MB, 70630MB, 70720MB, 70730MB, 70820MB, 70920MB, 70930MB, 71020MB, 71130MB, 71130MB, 71220MB, 71220MG, 71230MB, 71330MB, 71420MB, 71430MB, 71520MB, 71530MB, 71620MB, 71630MB, 71730MB, 71820MB, 71830MB, 71930MB, 72030MB, 72120MB, 72130MB, 72220MB, 72230MB, 72330MB, 7408, 7486MB, HBL3524C

Motor attachment plugs, Model(s): <u>HBL2615M3 +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Motor attachment plugs, Model(s): <u>HBL2715M3 +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Motor attachment plugs, Model(s): <u>HBL302CBI +</u> With or without suffixes A thru ZZZZZ and/or suffix M followed up to 3 digits for color, packaging, marking and commercial variations.

Motor Attachment Plugs, Model(s): <u>1E48108G02</u>, <u>1E48108G08</u>, <u>1E4810G07</u>, <u>HBL2615SWR</u>, <u>HBL2625SWR</u>, <u>HBL2755SWR</u>, <u>HBL3334SWR</u>, <u>HBL3434SWR</u>

Motor Attachment Plugs (Flanged Inlets), Model(s): <u>HBL2315ST</u>, <u>HBL2325ST</u>, <u>HBL2335ST</u>, <u>HBL2345ST</u>, <u>HBL2345ST</u>, <u>HBL2345ST</u>, <u>HBL2425ST</u>, <u>HBL2635ST</u>, <u>HBL2835ST</u>, <u>HBL2735ST</u>, <u>HBL2735ST</u>, <u>HBL2735ST</u>, <u>HBL2735ST</u>, <u>HBL2735ST</u>, <u>HBL2835ST</u>, <u>HBL3725ST</u>

Motor attachment plugs (reverse-service), Model(s): <u>HBL2335SWR</u>, <u>HBL2345SWR</u>, <u>HBL2355SWR</u>, <u>HBL2415SWR</u>, <u>HBL2415SWR</u>, <u>HBL245SWR</u>, <u>HBL2515SWR</u>, <u>HBL2525SWR</u>, <u>HBL2535SWR</u>, <u>HBL2635SWR</u>, <u>HBL2645SWR</u>, <u>HBL2655SWR</u>, <u>HBL2715SWR</u>, <u>HBL2725SWR</u>, <u>HBL2735SWR</u>, <u>HBL2745SWR</u>, <u>HBL2825SWR</u>, <u>HBL2835SWR</u>

Motor Attachment Plugs (reverse-service), Model(s): <u>1E48108G04</u>, <u>1E48108G15</u>, <u>1E48108G16</u>, <u>1E48108G17</u>, <u>HBL2315SWR</u>, <u>HBL2325SWR</u>, <u>HBL2435SWR</u>, <u>HBL2455SWR</u>, <u>HBL2455SWR</u>, <u>HBL3325SWR</u>, <u>HBL7408SWR</u>

Motor Attachment Plugs(Flanged Inlets), Model(s): <u>HBL2365ST</u>, <u>HBL2445ST</u>, <u>HBL2465ST</u>, <u>HBL2465ST</u>, <u>HBL2665ST</u>, <u>HBL2755ST</u>, <u>HBL2755ST</u>, <u>HBL2775ST</u>

Motor attachment plugs, grounding type, Model(s): <u>HBL 302CBI +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Motor attachment plugs, grounding type, Model(s): <u>HBL 302CBI +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Motor attachment plugs, grounding type, Model(s): <u>HBL2615M3 +</u> + With or without Suffixes of up to 9 alphanumeric characters for packaging, color, mounting, marking, customer identification, multilingual labeling/instructions, and commercial variations

Plug Connector, Model(s): H320P

Straight Blade Cord Connector, Model(s): <u>15W33A</u> may contain the prefix HBL for commercial purposes. BK indicates black overmold color

Straight Blade Cord Connector, Model(s): <u>15W47A</u> may contain the prefix HBL for commercial purposes. BK indicates black overmold color

Straight Blade Cord Connector, Model(s): <u>15W47BK</u> may contain the prefix HBL for commercial purposes. BK indicates black overmold color

Straight Blade Cord Connector, Model(s): <u>15W48</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Straight Blade Cord Connector, Model(s): <u>15W49</u> may contain the prefix HBL for commercial purposes. BK indicates black over-mold color

Straight blade-type attachment plugs, Model(s): HBL5566E, HBL5566E, HBL5576E, HBL5585E

Straight blade-type cord connectors, Model(s): <u>HBL520CV</u>, <u>HBL5369V</u>, <u>HBL53CM69V</u>, <u>HBL5469V</u>, <u>HBL620CV</u>, <u>HBL6334V</u>, <u>HBL6334V</u>, <u>HBL8369V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL8569V</u>, <u>HBL856</u>

Straight blade-type cord connectors:, Model(s): <u>HBL5567E</u>, <u>HBL5569E</u>, <u>HBL5579E</u>, <u>HBL5589E</u>, <u>HBL5589E</u>, <u>HBL5963V</u>

Weather protective boots for 20 and 30 A attachment plugs and cord connectors, Model(s): 72002BC

Last Updated on 2024-04-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."